



US00D954820S

(12) **United States Design Patent** (10) **Patent No.:** **US D954,820 S**  
**Mustafa et al.** (45) **Date of Patent:** **\*\* Jun. 14, 2022**

(54) **TRANSCEIVER TAG**

2033/10; B42D 2033/18; B42D 2033/20;  
B42D 2033/22; B42D 2033/28; G09F  
3/02; G09F 2003/0201

(71) Applicant: **View, Inc.**, Milpitas, CA (US)

See application file for complete search history.

(72) Inventors: **Ahmed Mustafa**, Fremont, CA (US);  
**Erik J. Christensen**, Modesto, CA  
(US); **Himay Rashmikanth Shukla**,  
Fremont, CA (US); **Jue Wang**, San  
Jose, CA (US); **Sajith Kamalnath**  
**Gopinathanasari**, Milpitas, CA (US);  
**Aditya Dayal**, Sunnyvale, CA (US);  
**Nitesh Trikha**, Pleasanton, CA (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D792,403 S *	7/2017	Nott	.....	D14/384
D812,137 S *	3/2018	Daniel	.....	D19/10
D931,321 S *	9/2021	Jain	.....	D14/486

\* cited by examiner

(73) Assignee: **View, Inc.**, Milpitas, CA (US)

*Primary Examiner* — Abraham Bahta

(\*\*) Term: **15 Years**

(74) *Attorney, Agent, or Firm* — Weaver Austin  
Villeneuve & Sampson LLP; Brian D. Griedel; Ryan Otis

(21) Appl. No.: **29/652,869**

(57) **CLAIM**

The ornamental design for a transceiver tag, as shown and described.

(22) Filed: **Dec. 22, 2020**

(51) **LOC (13) Cl.** ..... **19-08**

(52) **U.S. Cl.**  
USPC ..... **D19/9**

**DESCRIPTION**

(58) **Field of Classification Search**  
USPC ..... D19/1–12, 20–34, 100;  
40/124.01–124.15, 672, 661, 726, 776,  
40/617; 283/72, 74–75, 103, 105–117,  
283/82, 70, 94, 81; 206/449; D21/385;  
D20/10, 22, 27, 40, 42, 11;  
D14/435–437, 486; 235/380, 382, 487,  
235/493, 488; D6/613, 583; 360/2;  
702/158, 86, 97, 163, 166, 170  
CPC .... B42D 15/00; B42D 15/022; B42D 15/027;  
B42D 15/042; B42D 15/045; B42D  
25/00; B42D 25/20; B42D 25/30; B42D  
25/23; B42D 25/26; B42D 25/29; B42D  
25/285; B42D 2033/00; B42D 2033/02;  
B42D 2033/04; B42D 2033/08; B42D

FIG. 1 is an isometric view of a transceiver tag showing our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a back view thereof.

FIG. 4 is a right side view thereof.


FIG. 5 is a left side view thereof.

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

Dashed or broken lines depict portions of the depicted article that form no part of the claimed design and are included to provide further context for the claimed design. The broken-out sections represented by the gaps between the heavy-weight dash-dot-dash lines are included to show that the transceiver tag has no specific height, width, or length.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7