



US00D955032S

(12) **United States Design Patent** (10) **Patent No.:** **US D955,032 S**
Deng (45) **Date of Patent:** **** Jun. 14, 2022**

(54) **EXPLOSION-PROOF LAMP**

(71) Applicant: **Jinsheng Deng**, Rancho Dominguez,
CA (US)

(72) Inventor: **Jinsheng Deng**, Rancho Dominguez,
CA (US)

(73) Assignee: **EPC PRODUCT LLC**, Rancho
Dominguez, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/720,116**

(22) Filed: **Jan. 9, 2020**

(51) **LOC (13) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/119**

(58) **Field of Classification Search**
USPC D26/24, 63, 72, 76, 77, 78, 81, 88, 90,
D26/118, 119; 362/185

CPC F21V 15/00; F21V 15/01; F21V 15/02;
F21V 15/04; F21V 1/02; F21V 1/04;
F21V 1/08; F21V 29/506; F21V 29/507;
F21V 31/00; F21S 8/03; F21S 8/04; F21S
8/06; F21S 8/033; F21S 8/036; F21S
8/043; F21S 8/061; F21S 8/086; F21S
9/022; F21W 2131/10; F21W 2131/40;
F21W 2131/101; F21W 2131/103; F21W
2131/105; F21W 2131/107; F21W
2131/402; F21W 2131/407; F21W
2131/409; F21W 2131/1005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D92,618 S * 6/1934 Leinen D26/88
D92,636 S * 6/1934 Wideroe D26/88
4,404,620 A * 9/1983 Takahashi F21V 7/09
362/297

D291,835 S * 9/1987 Michael D26/129
D343,252 S * 1/1994 Belisle D26/88
D384,430 S * 9/1997 Lecluze D26/24
D402,075 S * 12/1998 Hudak D26/88
D402,773 S * 12/1998 Lo D26/24
D418,938 S * 1/2000 McCartney D26/88
D428,512 S * 7/2000 Minissi D26/88
D430,687 S * 9/2000 Landefeld D26/24
D582,600 S * 12/2008 Guercio D26/88
D592,792 S * 5/2009 Keller D26/88
D634,456 S * 3/2011 Jones D26/24
D652,969 S * 1/2012 Seropjan D26/24
D689,221 S * 9/2013 Isaac D26/24
D738,558 S * 9/2015 Silver D26/88
D803,453 S * 11/2017 Engle D26/72
D806,299 S * 12/2017 Gebhard D26/63
D868,334 S * 11/2019 Li D26/72
D879,351 S * 3/2020 Deng D26/72
2011/0068692 A1 * 3/2011 Tian F21K 9/23
315/113

(Continued)

Primary Examiner — Wan Laymon

Assistant Examiner — Clint A Samuel

(57) **CLAIM**

The ornamental design for an explosion-proof lamp, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an explosion-proof lamp
showing my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;


FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines depict portions of the explosion-proof lamp
in which the design is embodied that form no part of the
claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0280021	A1 *	11/2011	Pollack, Jr.	F21V 29/83 362/294
2013/0058106	A1 *	3/2013	Acampora	F21V 33/006 362/368
2014/0268745	A1 *	9/2014	Van de Ven	F21V 23/008 362/235
2016/0091175	A1 *	3/2016	Kim	F21V 7/18 362/235
2020/0383181	A1 *	12/2020	Pearse	F21K 9/237

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7