



US00D955212S

(12) **United States Design Patent**
Yang

(10) **Patent No.:** **US D955,212 S**
(45) **Date of Patent:** **** Jun. 21, 2022**

(54) **ADJUSTABLE LOCKING AND BLOCKING DEVICE**

(71) Applicant: **Yao-Kun Yang**, Taichung (TW)

(72) Inventor: **Yao-Kun Yang**, Taichung (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/743,282**

(22) Filed: **Jul. 21, 2020**

(51) **LOC (13) Cl.** **08-09**

(52) **U.S. Cl.**
USPC **D8/402**

(58) **Field of Classification Search**
USPC D8/331, 402
CPC E05C 19/18; E05B 13/00; E05B 13/08;
E05B 65/0888

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D230,701 S * 3/1974 Lewis et al. D8/402
- D339,282 S * 9/1993 Malonson D8/331
- 7,314,240 B1 * 1/2008 McPherson E05B 65/0888
292/259 R

- 2002/0153464 A1* 10/2002 Hefley A62B 3/005
248/351
- 2003/0234546 A1* 12/2003 Engel E05C 19/003
292/339
- 2009/0013607 A1* 1/2009 Whitaker E05C 19/003
49/501
- 2013/0318882 A1* 12/2013 Booker E05C 17/44
292/343
- 2018/0334842 A1* 11/2018 Burshtain E05F 5/08

* cited by examiner

Primary Examiner — Doris Clark


(57) **CLAIM**

The ornamental design for an adjustable locking and blocking device, as shown and described.

DESCRIPTION

FIG. 1 is a front-right-top perspective view of the adjustable locking and blocking device showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear front elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is a perspective view of the adjustable locking and blocking device adjusted to differing heights.

1 Claim, 7 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6



FIG.7




FIG.8