



US00D955441S

(12) **United States Design Patent** (10) **Patent No.:** **US D955,441 S**
Soja (45) **Date of Patent:** **** Jun. 21, 2022**

(54) **COMBINED POSITIVE DISPLACEMENT
DOUBLE DISC PUMP WITH MOTOR**

(71) Applicant: **Marc Johnson Soja**, Toronto (CA)

(72) Inventor: **Marc Johnson Soja**, Toronto (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/719,354**

(22) Filed: **Jan. 3, 2020**

(51) **LOC (13) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**

(58) **Field of Classification Search**

USPC D23/206, 213, 214, 225, 231, 232, 387,
D23/421; D15/5, 7-9, 199

CPC F24H 2240/00; F24H 2240/02; F24H
2240/04; F24H 2240/06; G01F 7/00;
F22D 5/00; F04D 13/06; F04D 29/041;
F04D 29/22; F04D 29/60; F04D 29/605;
F04D 15/0088; F04D 15/0066; F04D
15/0245; F04B 17/03; F04B 17/046;
F04B 17/048; F04B 35/04; F04B 43/04;
F04B 43/043

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D325,387 S *	4/1992	Rupe	D15/7
D388,796 S *	1/1998	Conti	D15/7
D388,797 S *	1/1998	Conti	D15/7
D435,855 S *	1/2001	Donelson	D15/7
D591,310 S *	4/2009	Soja	D15/7
D675,231 S *	1/2013	Headley	D15/7
D676,063 S *	2/2013	Soja	D15/7
D676,462 S *	2/2013	Soja	D15/7
D677,282 S *	3/2013	Soja	D15/7

(Continued)

OTHER PUBLICATIONS

Wastecorp Pumps, Sludge Pro 3DDWP-SS, (revised on date Nov. 8, 2019), Wastecorp, URL:<https://wastecorp.com/Download&download_id=142> (Year: 2019).*

Primary Examiner — Calvin E Vansant

Assistant Examiner — Mark T. Philipps

(57) **CLAIM**

The ornamental design for a combined positive displacement double disc pump and motor, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined positive displacement double disc pump and motor showing my new design;

FIG. 2 is a left side elevational view of a combined positive displacement double disc pump and motor thereof;

FIG. 3 is a rear elevational view of a combined positive displacement double disc pump and motor thereof;

FIG. 4 is a right side elevational view of a combined positive displacement double disc pump and motor thereof;

FIG. 5 is a top plan view of a combined positive displacement double disc pump and motor thereof;

FIG. 6 is a bottom plan view of a combined positive displacement double disc pump and motor thereof;

FIG. 7 is a diagonal front perspective view seen from left side of a combined positive displacement double disc pump and motor thereof;


FIG. 8 is a diagonal front perspective view seen from right side of a combined positive displacement double disc pump and motor thereof;

FIG. 9 is a diagonal rear perspective view seen from right side of a combined positive displacement double disc pump and motor thereof; and,

FIG. 10 is a diagonal rear perspective view seen from left side of a combined positive displacement double disc pump and motor thereof.

The broken lines are for environmental purposes only and do not form a part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D677,283	S *	3/2013	Soja	D15/7
D682,316	S *	5/2013	Rogne	D15/7
D722,083	S *	2/2015	Soja	D15/7
D771,148	S *	11/2016	Soja	D15/7
2014/0241905	A1 *	8/2014	Seith	F04B 43/067
				417/53
2015/0226192	A1 *	8/2015	Hines	F04B 17/044
				417/413.1
2020/0149523	A1 *	5/2020	Di Leo	F04B 43/0072

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10