



US00D955903S

(12) **United States Design Patent** (10) **Patent No.:** **US D955,903 S**  
**Pan et al.** (45) **Date of Patent:** **\*\* Jun. 28, 2022**

(54) **LIDAR DEVICE**  
(71) Applicant: **Beijing Voyager Technology Co., Ltd.**,  
Beijing (CN)  
(72) Inventors: **Anan Pan**, Fremont, CA (US);  
**Henghui Jiang**, Newark, CA (US)  
(73) Assignee: **BEIJING VOYAGER**  
**TECHNOLOGY CO., LTD.**, Beijing  
(CN)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/729,455**  
(22) Filed: **Mar. 26, 2020**  
(51) **LOC (13) Cl.** ..... **10-04**  
(52) **U.S. Cl.**  
USPC ..... **D10/70**  
(58) **Field of Classification Search**  
USPC ..... D10/75, 65, 70, 81; D12/192; D3/207,  
D3/208, 20, 27; D16/203; D6/708,  
D6/708.25, 329, 512; D28/9; D99/25;  
D30/108  
CPC . G06F 3/16; G08B 3/00; H04M 11/00; H04N  
7/14; H04N 7/26  
See application file for complete search history.

D704,930 S \* 5/2014 Murphy, Jr. .... D3/203.3  
D845,408 S \* 4/2019 Slider ..... D21/706  
D856,608 S \* 8/2019 Funari ..... A01K 1/035  
D30/160  
D870,978 S \* 12/2019 Pomerantz ..... D30/112  
D923,255 S \* 6/2021 Yin ..... D30/108  
D925,838 S \* 7/2021 Li ..... D30/108

**OTHER PUBLICATIONS**

The Gold in You Dot Com Forrest Yoga Shamanic Drum, publica-  
tion date Jul. 11, 2015 (online) URL:https://thegoldinyoudotcom.  
wordpress.com/2015/07/11/shamanic-drum/ (Year: 2015).\*  
Semantic Scholar Bolstering Mission Success: Lessons Learned for  
Small Satellite Developers Adhering to Manned Space, publication  
date 2018, (online) URL:https://www.semanticscholar.org/paper/  
Bolstering-Mission-Success%3A-Lessons-Learned-for-to-Martin-  
Brown/c4dbbae199437a927d42ac1cc7ebc582667080f8 (Year: 2018).\*

\* cited by examiner

*Primary Examiner* — George D. Kirschbaum  
*Assistant Examiner* — Antoinette Martine Suiter  
(74) *Attorney, Agent, or Firm* — Bayes PLLC

(57) **CLAIM**

The ornamental design for a lidar device, as shown and  
described.

**DESCRIPTION**


FIG. 1 is a top perspective view of a lidar device in  
accordance with the ornamental design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a top view thereof;  
FIG. 5 is a left side view thereof; and,  
FIG. 6 is a right side view thereof.  
The broken lines in the figures show portions of the lidar  
device that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,535,442 A \* 10/1970 Jennings ..... H04N 7/181  
348/151  
D234,876 S \* 4/1975 Hope et al. .... D16/237  
D236,839 S \* 9/1975 Polli ..... D30/101  
4,856,706 A \* 8/1989 Van Der Straten .... B65D 5/009  
229/110  
D379,681 S \* 6/1997 Barman ..... D30/108  
7,174,851 B2 \* 2/2007 Bonner ..... A01K 1/0035  
119/416  
D675,339 S \* 1/2013 Kumpen ..... D25/2






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6