



US00D955905S

(12) **United States Design Patent**
Pan et al.

(10) **Patent No.:** **US D955,905 S**

(45) **Date of Patent:** **** Jun. 28, 2022**

(54) **LIGHT DETECTION AND RANGING (LIDAR) COMPONENT**

(71) Applicant: **Beijing Voyager Technology Co., Ltd.**, Beijing (CN)

(72) Inventors: **Anan Pan**, Fremont, CA (US);
Ming-hui Wu, Mountain View, CA (US); **Youmin Wang**, Berkeley, CA (US)

(73) Assignee: **BEIJING VOYAGER TECHNOLOGY CO., LTD.**, Beijing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/764,335**

(22) Filed: **Dec. 29, 2020**

Related U.S. Application Data

(63) Continuation-in-part of application No. 17/134,286, filed on Dec. 26, 2020, which is a continuation-in-part of application No. 17/115,787, filed on Dec. 8, 2020.

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/74**

(58) **Field of Classification Search**
USPC D10/46, 65, 70, 74, 75, 81, 103;
D13/162, 173, 182; D16/203
CPC G01S 17/88; G01S 17/931; G01S 13/931;
G01S 15/931; G01S 2013/9325; G01S
13/93; G01S 13/426; G01S 15/93; G01S
7/4806; G08G 5/045; G08G 5/025; B60R
21/0134; B60R 2011/004; B60R
2300/301; B60Q 9/008; B60Q 1/0023
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D343,799	S *	2/1994	Spinks	D10/75
D440,209	S *	4/2001	Kang	D13/182
D465,772	S *	11/2002	Poulter	D13/182
D539,275	S *	3/2007	Furuya	D13/182
RE46,672	E *	1/2018	Hall	G01S 7/4811
10,295,656	B1 *	5/2019	Li	G01S 7/4813
10,310,058	B1 *	6/2019	Campbell	G01S 7/4817
10,451,716	B2 *	10/2019	Hughes	G01S 7/4817
D878,264	S *	3/2020	Ahn	D16/203
10,705,189	B2 *	7/2020	Qiu	G01S 7/4863
D909,216	S *	2/2021	Vuletici	D10/70
11,125,864	B2 *	9/2021	Qiu	G01S 7/4972
11,187,791	B2 *	11/2021	Ye	G01S 7/4813
2011/0216304	A1 *	9/2011	Hall	G01S 7/4813 356/4.01

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Lillian Windham

(74) *Attorney, Agent, or Firm* — Bayes PLLC


(57) **CLAIM**

The ornamental design for a light detection and ranging (LIDAR) component, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a light detection and ranging (LIDAR) component;
FIG. 2 is a bottom rear perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines in the figures show portions of the light detection and ranging (LIDAR) component that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2020/0355800 A1* 11/2020 Toyama G01S 17/42
2021/0190918 A1* 6/2021 Li G01S 7/4817
2022/0013957 A1* 1/2022 Pan H05K 1/18

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8