



US00D956301S

(12) **United States Design Patent** (10) **Patent No.:** **US D956,301 S**
Chen et al. (45) **Date of Patent:** **** Jun. 28, 2022**

(54) **SECURITY LIGHT**

(71) Applicants: **Chia-Teh Chen**, Taipei (TW);
Meng-Chu Lee, Taipei (TW)

(72) Inventors: **Chia-Teh Chen**, Taipei (TW);
Meng-Chu Lee, Taipei (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/738,318**

(22) Filed: **Jun. 17, 2020**

(51) **LOC (13) Cl.** **26-05**

(52) **U.S. Cl.**

USPC **D26/63; D26/120**

(58) **Field of Classification Search**

USPC D26/24, 51, 61, 63, 65, 67, 72, 80, 81,
D26/83, 92, 100, 120; D16/203

CPC F21S 8/00; F21S 8/04; F21S 8/003; F21S
8/033; F21S 9/00; F21S 9/02; F21S
9/022; F21S 9/03; F21S 9/032; F21S
9/035; F21S 9/037; F21W 2131/10;
F21W 2131/20; F21W 2131/101; F21W
2131/107; F21W 2131/402; F21W
2131/1005; F21V 21/00; F21V 21/02;
F21V 21/10; F21V 21/14; F21V 21/26;
F21V 21/30; F21V 14/02; F21V 17/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D670,022 S * 10/2012 Green D26/128
D670,023 S * 10/2012 Green D26/128
D764,700 S * 8/2016 Chen D26/118
D784,589 S * 4/2017 Chen D26/65
D804,075 S * 11/2017 Fang D26/65
D820,506 S * 6/2018 Chen D26/120
D853,623 S * 7/2019 Paredes D26/118
D866,057 S * 11/2019 Lafleur D26/120
D869,038 S * 12/2019 Recker D26/63

D874,714 S * 2/2020 Lafleur D26/120
D881,446 S * 4/2020 Lafleur D26/120
D882,848 S * 4/2020 Zhang D26/63
D887,060 S * 6/2020 Wang D26/63
D896,424 S * 9/2020 Wang D26/63
D897,020 S * 9/2020 Miyawaki D26/63
D897,021 S * 9/2020 Miyawaki D26/65
RE48,362 E * 12/2020 Paredes F21S 8/036
D26/120
D911,572 S * 2/2021 Liu D26/63
D914,944 S * 3/2021 Gowing D26/63
D932,082 S * 9/2021 Zhang D26/72
D934,479 S * 10/2021 Liu D26/63
D935,671 S * 11/2021 Deng D26/63

* cited by examiner

Primary Examiner — Clint A Samuel

(74) *Attorney, Agent, or Firm* — Li & Cai Intellectual
Property Office

(57)


CLAIM

The ornamental design for a security light, as shown as
described.

DESCRIPTION

FIG. 1 is a front, left side and bottom perspective view of a
security light showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a rear, right side and top perspective view thereof.
The broken lines in the drawing depict portions of the
security light that form no part of the claimed design.
The security light is shown with a symbolic break in its
length. The appearance of any portion of the article between
the break lines forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8