



US00D956328S

(12) **United States Design Patent**
Owens et al.

(10) **Patent No.:** **US D956,328 S**
(45) **Date of Patent:** **** Jun. 28, 2022**

(54) **LIGHTING DEVICE**
(71) Applicant: **Signify Holding B.V.**, Eindhoven (NL)
(72) Inventors: **Walten Peter Owens**, Chittenango, NY (US); **Isaac P. Dost**, Syracuse, NY (US); **Benjamin David Vollmer**, Manlius, NY (US)
(73) Assignee: **SIGNIFY HOLDING B.V.**, Eindhoven (NL)
(**) Term: **15 Years**

D672,915 S * 12/2012 Toft D26/123
D712,085 S * 8/2014 Kjaergaard Toft D26/118
D713,594 S * 9/2014 Norris D26/118
D714,991 S * 10/2014 Norris D26/118
D733,352 S 6/2015 Casper et al.
D735,908 S * 8/2015 Ko D26/28
D736,430 S * 8/2015 Ko D26/28
D739,064 S * 9/2015 Heiner D26/63
D747,516 S * 1/2016 Yang D26/28
D748,831 S * 2/2016 Fan D26/28
D792,626 S 7/2017 Casper et al.
D820,505 S * 6/2018 Herre D26/120
D845,530 S * 4/2019 Yu D26/63
D849,292 S * 5/2019 Ko D26/36

(Continued)

(21) Appl. No.: **29/690,184**
(22) Filed: **May 6, 2019**
(51) **LOC (13) Cl.** **26-05**
(52) **U.S. Cl.**
USPC **D26/118; D26/63; D26/120**
(58) **Field of Classification Search**
USPC ... D26/1, 24, 28, 36, 61, 63, 65, 73, 74, 83, D26/92, 113, 118, 120, 139; D10/104.1, D10/114.2, 114.3; D12/192, 400
CPC F21V 21/10; F21V 21/14; F21V 21/28; F21V 21/30; F21V 21/116; F21V 15/00; F21V 15/01; F21V 29/70; F21V 29/503; F21S 8/02; F21S 8/043; F21S 8/036; F21S 8/088; F21S 41/19; F21S 41/141; F21S 41/192; F21S 41/194; F21S 48/10; F21S 48/225; F21S 48/1233; F21S 48/1266; F21S 48/2268; F21W 2131/10; F21W 2131/20; F21W 2131/107
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

CA 180086 S 4/2019

OTHER PUBLICATIONS

Eaton Website, Lighting Systems, Lumadapt 24, <https://ephesuslighting.com/lighting-system/lumadapt-24/> (May 31, 2018).

Primary Examiner — Clint A Samuel

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION


FIG. 1 is a top, right side, front perspective view of a lighting device according to the present disclosure;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The broken lines shown in the figures illustrate portions of the lighting fixture form no part of the claimed design.

1 Claim, 7 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D592,330 S * 5/2009 Huang D26/28
D633,248 S * 2/2011 Alexander D26/118
D667,582 S * 9/2012 Toft F21V 21/30
D26/63



(56)

References Cited

U.S. PATENT DOCUMENTS

D849,293 S * 5/2019 Ko D26/36
D854,206 S * 7/2019 Yang D26/36
D861,970 S * 10/2019 Chen D26/120
10,551,015 B2 * 2/2020 Romano F21V 29/74
D883,541 S * 5/2020 Johnson D26/36
D894,460 S * 8/2020 Yu D26/63
D895,186 S * 9/2020 Merovitz D26/63
D906,563 S * 12/2020 Muck D26/63
D910,218 S * 2/2021 Somasekar D26/63
D911,567 S * 2/2021 Lv D26/63
D915,651 S * 4/2021 Tan D26/63
D932,675 S * 10/2021 Sibitzky D26/63
2010/0148672 A1 * 6/2010 Hopper H05B 45/00
315/113
2010/0282446 A1 * 11/2010 Yamamoto F21S 8/02
165/109.1
2020/0158298 A1 * 5/2020 Romano F21V 17/002
2020/0370718 A1 * 11/2020 Romano F21S 2/005

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7