



US00D956333S

(12) **United States Design Patent** (10) **Patent No.:** **US D956,333 S**
Neuer et al. (45) **Date of Patent:** **** *Jun. 28, 2022**

(54) **LIGHT FIXTURE**
(71) Applicant: **Hubbell Lighting, Inc.**, Shelton, CT
(US)

D400,278 S * 10/1998 Binsukor D26/67
D405,206 S * 2/1999 Taylor D26/67
D428,180 S * 7/2000 Orellana D26/67
D459,466 S * 6/2002 Hsieh D23/411
(Continued)

(72) Inventors: **Michael Neuer**, Covina, CA (US);
Tomi Lin, Irvine, CA (US); **Syed Raza**,
Rancho Palos Verdes, CA (US); **Dean**
Dal Ponte, Glendale, CA (US);
Prathika Appaiah, Pasadena, CA (US);
Paul Lewis, Greenville, SC (US)

FOREIGN PATENT DOCUMENTS

EM 002702605-0001 5/2015
JP D1439284 4/2012
KR 300407103.0000 2/2006

(73) Assignee: **Hubbell Lighting, Inc.**, Shelton, CT
(US)

OTHER PUBLICATIONS

Kim Lighting PGL8 Spec Sheet https://hubbellcdn.com/specsheet/kl_pgl8_spec.pdf Jul. 2, 2019 (Year: 2019).

(*) Notice: This patent is subject to a terminal disclaimer.

(Continued)

(**) Term: **15 Years**

Primary Examiner — Leanne Was-Englehart

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(21) Appl. No.: **29/730,808**

(22) Filed: **Apr. 8, 2020**

Related U.S. Application Data

(62) Division of application No. 29/646,740, filed on May 7, 2018, now Pat. No. Des. 884,255.

(51) **LOC (13) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/118**

(58) **Field of Classification Search**
USPC D26/72, 85, 88, 89, 138, 142, 149, 152
CPC F21S 2/00; F21S 4/00; F21S 4/008; F21S
6/00; F21S 8/00; F21S 8/024; F21S
8/026; F21S 8/031; F21S 8/033; F21S
8/035-037; F21S 8/04; F21S 8/043; F21S
8/063

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D166,316 S * 4/1952 Juergens D26/63
D391,661 S * 3/1998 Pan D26/86

(57) **CLAIM**

We claim the ornamental design for a light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light fixture showing our new design.

FIG. 2 is another perspective view of the light fixture shown in FIG. 1.


FIG. 3 is a side view of the light fixture shown in FIG. 1.

FIG. 4 is a side view of the light fixture shown in FIG. 1, coupled to a support member; and,

FIG. 5 is a bottom plan view of the light fixture shown in FIG. 1.

The broken lines shown in the drawings illustrate portions that form no part of the claimed design. The support member, which is shown in broken lines in FIG. 4, forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D469,211 S * 1/2003 Homann D26/118
 D475,802 S * 6/2003 Homann D26/118
 D498,871 S * 11/2004 Benensohn D26/89
 D534,664 S * 1/2007 Geens D26/128
 D541,975 S * 5/2007 Isaacson D26/128
 D571,034 S * 6/2008 Goetz-Schaefer D26/85
 D581,089 S * 11/2008 St-Hilaire D26/118
 D584,850 S * 1/2009 Itiravivong D26/128
 D656,264 S * 3/2012 Janssen D26/85
 D662,648 S * 6/2012 Whiting D26/89
 D681,249 S * 4/2013 Tom D26/59
 D693,046 S * 11/2013 Hokazono D26/89
 D797,980 S * 9/2017 Maxik D26/89
 D830,611 S * 10/2018 Boissevain D26/89
 D837,443 S * 1/2019 Slaatto D26/118
 D853,615 S 7/2019 Ahrari
 10,648,649 B2 5/2020 Harris

10,731,830 B2 * 8/2020 Feit F21S 8/043
 D923,859 S * 6/2021 Li D26/118
 2020/0363580 A1 * 11/2020 Li G02B 6/0073

OTHER PUBLICATIONS

Kenall Mfg. Co., Tekdek TD17 Series Product Features and Specifications, copyright 2016 (4 pages).
 Amerlux, LLC, Chaperone LED Garage Luminaire Features and Product Overview (2 pages).
 Acuity Brands Lighting, Inc. PGX LED Parking Garage Specifications, copyright 2012-2018 (3 pages).
 Philips, Gardco Garage & Canopy SoftView Specifications, copyright 2018 (12 pages).
 Cree, IG Series LED Parking Structure Luminaire Specifications, copyright 2017 (8 pages).
 Eaton Cooper Lighting, TopTier LED Parking Garage and Canopy Luminaire Specification, copyright 2015 (12 pages).
 Kim Lighting, LED Parking Garage Luminaire Specifications, copyright 2017 (6 pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5