



US00D956514S

(12) **United States Design Patent**
Gokcebay

(10) **Patent No.:** **US D956,514 S**
(45) **Date of Patent:** **** Jul. 5, 2022**

- (54) **ELECTRONIC LOCK**
- (71) Applicant: **Digilock Asia Ltd.**, Kowloon (HK)
- (72) Inventor: **Asil Gokcebay**, Petaluma, CA (US)
- (73) Assignee: **Digilock Asia Ltd.**, Kowloon (HK)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/820,531**
- (22) Filed: **Dec. 22, 2021**

D802,395 S * 11/2017 Hsu D8/330
 D802,396 S * 11/2017 Hsu D8/330
 10,378,237 B2 * 8/2019 Bacon G07C 9/30
 10,385,588 B2 * 8/2019 Huang G07C 9/00896
 10,633,891 B2 * 4/2020 Sidhu E05B 35/105
 D8/331

* cited by examiner

Primary Examiner — Doris Clark

(74) *Attorney, Agent, or Firm* — Russell Petersen

Related U.S. Application Data

(62) Division of application No. 29/717,439, filed on Dec. 17, 2019, now Pat. No. Des. 942,241.

(51) **LOC (13) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/331**

(58) **Field of Classification Search**

USPC D8/330, 331
 CPC .. G07C 9/00174; G07C 9/00309; G07C 9/20;
 G07C 9/22; G07C 9/30; G07C 9/00182;
 G07C 2009/00968; G07C 7/00; G06K
 7/0017; G06K 7/0047; G06K 7/0056;
 G06K 7/0004; G06K 7/0008; G06K
 2007/10524; G06K 7/10554; G06K
 7/10603; G06K 9/00; E05B 49/006; E05B
 47/0046; E05B 47/0001; E05B 47/0011;
 E05B 2047/0014; E05B 2047/0018; E05B
 2047/0048; E05B 2047/0085; E05B
 65/0007; E05B 65/0032; E05B 65/44;
 E05B 65/46; E05B 65/0014; E05B 13/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D696,569 S * 12/2013 Luo D8/331
 9,129,457 B2 * 9/2015 Sumcad E05B 17/2084


(57) **CLAIM**

The ornamental design for an electronic lock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic lock, showing the new design;
 FIG. 2 is a top view of the electronic lock;
 FIG. 3 is a rear view of the electronic lock;
 FIG. 4 is a left side view of the electronic lock;
 FIG. 5 is a front view of the electronic lock;
 FIG. 6 is a right side view of the electronic lock; and
 FIG. 7 is a bottom view of the electronic lock.
 FIG. 8 is a perspective view of an electronic lock showing a second embodiment of the new design;
 FIG. 9 is a top view of the electronic lock of FIG. 8;
 FIG. 10 is a rear view of the electronic lock of FIG. 8;
 FIG. 11 is a left side view of the electronic lock of FIG. 8;
 FIG. 12 is a front view of the electronic lock of FIG. 8;
 FIG. 13 is a right side view of the electronic lock of FIG. 8;
 and,
 FIG. 14 is a bottom view of the electronic lock of FIG. 8.
 The broken lines are shown for the purpose of illustrating parts of the electronic lock that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14