



US00D956514S

(12) **United States Design Patent**  
**Gokcebay**

(10) **Patent No.:** **US D956,514 S**

(45) **Date of Patent:** **\*\* Jul. 5, 2022**

(54) **ELECTRONIC LOCK**

(71) Applicant: **Digilock Asia Ltd.**, Kowloon (HK)

(72) Inventor: **Asil Gokcebay**, Petaluma, CA (US)

(73) Assignee: **Digilock Asia Ltd.**, Kowloon (HK)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/820,531**

(22) Filed: **Dec. 22, 2021**

**Related U.S. Application Data**

(62) Division of application No. 29/717,439, filed on Dec. 17, 2019, now Pat. No. Des. 942,241.

(51) **LOC (13) Cl.** ..... **08-07**

(52) **U.S. Cl.**

USPC ..... **D8/331**

(58) **Field of Classification Search**

USPC ..... D8/330, 331

CPC .. G07C 9/00174; G07C 9/00309; G07C 9/20;  
G07C 9/22; G07C 9/30; G07C 9/00182;  
G07C 2009/00968; G07C 7/00; G06K  
7/0017; G06K 7/0047; G06K 7/0056;  
G06K 7/0004; G06K 7/0008; G06K  
2007/10524; G06K 7/10554; G06K  
7/10603; G06K 9/00; E05B 49/006; E05B  
47/0046; E05B 47/0001; E05B 47/0011;  
E05B 2047/0014; E05B 2047/0018; E05B  
2047/0048; E05B 2047/0085; E05B  
65/0007; E05B 65/0032; E05B 65/44;  
E05B 65/46; E05B 65/0014; E05B 13/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D696,569 S \* 12/2013 Luo ..... D8/331  
9,129,457 B2 \* 9/2015 Sumcad ..... E05B 17/2084

D802,395 S \* 11/2017 Hsu ..... D8/330  
D802,396 S \* 11/2017 Hsu ..... D8/330  
10,378,237 B2 \* 8/2019 Bacon ..... G07C 9/30  
10,385,588 B2 \* 8/2019 Huang ..... G07C 9/00896  
10,633,891 B2 \* 4/2020 Sidhu ..... E05B 35/105  
D8/331

\* cited by examiner

*Primary Examiner* — Doris Clark

(74) *Attorney, Agent, or Firm* — Russell Petersen


(57) **CLAIM**

The ornamental design for an electronic lock, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an electronic lock, showing the new design;  
FIG. 2 is a top view of the electronic lock;  
FIG. 3 is a rear view of the electronic lock;  
FIG. 4 is a left side view of the electronic lock;  
FIG. 5 is a front view of the electronic lock;  
FIG. 6 is a right side view of the electronic lock; and  
FIG. 7 is a bottom view of the electronic lock.  
FIG. 8 is a perspective view of an electronic lock showing a second embodiment of the new design;  
FIG. 9 is a top view of the electronic lock of FIG. 8;  
FIG. 10 is a rear view of the electronic lock of FIG. 8;  
FIG. 11 is a left side view of the electronic lock of FIG. 8;  
FIG. 12 is a front view of the electronic lock of FIG. 8;  
FIG. 13 is a right side view of the electronic lock of FIG. 8; and,  
FIG. 14 is a bottom view of the electronic lock of FIG. 8.  
The broken lines are shown for the purpose of illustrating parts of the electronic lock that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14