



US00D956637S

(12) **United States Design Patent** (10) **Patent No.:** **US D956,637 S**
Lee et al. (45) **Date of Patent:** **** Jul. 5, 2022**

(54) **HOOD FOR A WORK VEHICLE**

OTHER PUBLICATIONS

(71) Applicant: **CNH Industrial America LLC**, New Holland, PA (US)

Tractor Hoods (Design—© Questel) orbit.com. [online PDF] 54 pgs. Print Dates Range Apr. 16, 2021-Oct. 16, 2007 [Retrieved Apr. 23, 2021].*

(72) Inventors: **James Hsin Yao Lee**, Bolingbrook, IL (US); **Eric Michael Jacobsthal**, Elmhurst, IL (US); **Jakub Sulikowski**, Gdansk (PL); **David Melvin Wilkie**, Turin (IT)

Primary Examiner — Manpreet S Matharu

Assistant Examiner — Suzanne E Tisdell

(74) *Attorney, Agent, or Firm* — Rickard K. DeMille; Rebecca L. Henkel

(73) Assignee: **CNH Industrial America LLC**, New Holland, PA (US)

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a hood for a work vehicle, as shown and described.

(21) Appl. No.: **29/685,633**

(22) Filed: **Mar. 29, 2019**

DESCRIPTION

(51) **LOC (13) Cl.** **12-08**

(52) **U.S. Cl.**

USPC **D12/173**

(58) **Field of Classification Search**

USPC D12/86, 91, 93, 163, 164, 165, 166, 167, D12/169, 171, 172, 173, 181, 183, 190, D12/196, 216; D15/11, 12, 14, 15, 22, D15/23, 26, 30, 31

CPC .. B60R 1/06; B60R 9/06; B60R 19/02; B60R 19/04; B60R 19/18; B60R 19/44; B60R 19/48; B62D 25/10; B62D 25/16; B62D 25/168; B62D 35/02; B62D 39/00; B62D 65/16; B62D 21/12; B29C 45/16

See application file for complete search history.

FIG. 1 is a rear perspective view of a hood for a work vehicle.

FIG. 2 is a rear view of the hood illustrated in FIG. 1.

FIG. 3 is a front view of the hood illustrated in FIG. 1.

FIG. 4 is a first side view of the hood illustrated in FIG. 1.

FIG. 5 is a second side view of the hood illustrated in FIG. 1.

FIG. 6 is a top view of the hood illustrated in FIG. 1.

FIG. 7 is a bottom view of the hood illustrated in FIG. 1; and,

FIG. 8 is another rear perspective view of the hood illustrated in FIG. 1, particularly illustrating an environmental view of the hood installed on a work vehicle, such as a wheel loader.

The dash-dash or evenly spaced broken lines used in the drawings show portions of the hood for a work vehicle that form no part of the claimed design. The dash-dot broken lines used in the drawings show environmental subject matter that forms no part of the claimed design. Additionally, contour lines and/or surface shading are illustrated simply for purposes of highlighting the solid-rendering, and, thus, form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D291,982 S * 9/1987 Simons D12/96
D312,805 S * 12/1990 Marlowe D12/96
5,826,672 A * 10/1998 Holter B62D 25/10
180/69.21
D460,023 S * 7/2002 Beigel D12/96

(Continued)

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,883,860	B1 *	4/2005	Budge	B62D 33/0612 296/190.02
D634,244	S *	3/2011	Aris	D12/96
D650,722	S *	12/2011	Marchi	D12/96
D651,136	S *	12/2011	Stimel, Jr.	D12/96
8,960,769	B2 *	2/2015	He	B62D 35/001 296/180.2
D758,253	S *	6/2016	Brzustowicz	D12/96
D771,539	S *	11/2016	Brzustowicz	D12/173
D772,768	S *	11/2016	Chiang	D12/173
D776,169	S *	1/2017	Cmich	D15/14
D777,220	S *	1/2017	Powell	D15/31
D777,798	S *	1/2017	Yetkin	D15/26
D786,941	S *	5/2017	Kushita	D15/26
9,643,658	B2 *	5/2017	Jaynes	B62D 25/168
D799,380	S *	10/2017	Cosme	D12/96
D816,004	S *	4/2018	Milton	D12/196
D819,090	S *	5/2018	Ulmefors	D15/31
D824,289	S *	7/2018	Lokers	D12/96
D825,391	S *	8/2018	Von Holzhausen	D12/96
D825,392	S *	8/2018	Von Holzhausen	D12/96
D826,816	S *	8/2018	Lokers	D12/196
D827,498	S *	9/2018	Anderson	D12/96
D828,226	S *	9/2018	Cotner	D12/96
D831,079	S *	10/2018	Ulmefors	D15/31
D854,056	S *	7/2019	Futagami	D15/31
10,471,998	B2 *	11/2019	Krijnen	B62D 25/10
D892,869	S *	8/2020	Volpato	D15/31

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8