



US00D957403S

(12) **United States Design Patent**
Fleisher et al.

(10) **Patent No.:** **US D957,403 S**
(45) **Date of Patent:** **** Jul. 12, 2022**

(54) **DRIVE CADDY ASSEMBLY FOR A STORAGE DEVICE**

(71) Applicant: **Pavilion Data Systems, Inc.**, San Jose, CA (US)

(72) Inventors: **Eugene Fleisher**, San Jose, CA (US);
Ray Siruno, San Jose, CA (US)

(73) Assignee: **Pavillion Data Systems, Inc.**, San Jose, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/758,037**

(22) Filed: **Nov. 11, 2020**

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/439**

(58) **Field of Classification Search**
USPC ... D14/439, 432, 434, 433, 435, 435.1, 356,
D14/357, 440, 447, 251-253, 451, 452,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,941,841 A * 7/1990 Darden G06F 1/187
439/304
- 5,765,933 A * 6/1998 Paul H01R 13/6335
439/157

(Continued)

Primary Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Lowenstein Sandler LLP

(57) **CLAIM**

The ornamental design for a drive caddy assembly for a storage device, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a drive caddy assembly for a storage device in accordance with a first embodiment of the present design.




FIG. 2 is a top back perspective view of the first embodiment of the present design.

FIG. 3 is a front view of the first embodiment of the present design.

FIG. 4 is a rear view of the first embodiment of the present design.

FIG. 5 is a side view of the first embodiment of the present design.

FIG. 6 is a side view of the first embodiment of the present design.

FIG. 7 is a top view of the first embodiment of the present design.

FIG. 8 is a bottom view of the first embodiment of the present design.

FIG. 9 is a top front perspective view of the first embodiment of the present design, showing an unclaimed storage device attached thereto.

FIG. 10 is a top front perspective view of a drive caddy assembly for a storage device in accordance with a second embodiment of the present design.

FIG. 11 is a top back perspective view of the second embodiment of the present design.

FIG. 12 is a front view of the second embodiment of the present design.

FIG. 13 is a rear view of the second embodiment of the present design.

FIG. 14 is a side view of the second embodiment of the present design.

FIG. 15 is a side view of the second embodiment of the present design.


FIG. 16 is a top view of the second embodiment of the present design.

FIG. 17 is a bottom view of the second embodiment of the present design; and,

FIG. 18 is a top front perspective view of the second embodiment of the present design, showing an unclaimed storage device attached thereto.

The dot-dash broken lines define the boundary of the claim, which extends to the boundary but does not include the boundary. The additional broken lines in FIGS. 9 and 18 showing the docked storage device depict environmental subject matter only and form no part of the claim, while all

(Continued)



other broken lines depict portions of the drive caddy assembly that form no part of the claimed design.

1 Claim, 14 Drawing Sheets

(58) **Field of Classification Search**

USPC D14/454, 217, 348, 353-355, 385, 260.1, D14/363, 365; D13/184, 133, 147
 CPC G06K 13/00; G06K 13/06; G06K 13/063; G06K 13/08; G06K 13/382; G06K 7/0013; H01R 12/00; H01R 13/6594; G06F 13/00; G06F 13/387; G06F 13/409; G06F 2212/303; G06F 2213/3802; G06F 2213/3852; G06F 1/184; G06F 1/187; G11B 17/0281; G11B 17/03; G11B 23/0328

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D399,498 S * 10/1998 Chang D14/367
 D404,383 S * 1/1999 Chang D14/367
 D407,079 S * 3/1999 Wu D14/447
 D423,479 S * 4/2000 Alo D14/260.1
 6,064,569 A * 5/2000 Sands G06F 1/187
 361/679.32
 D442,181 S * 5/2001 Alo D14/432
 D447,144 S * 8/2001 Chen D14/439
 D447,484 S * 9/2001 Reznikov H05K 7/1418
 D14/441
 D458,924 S * 6/2002 Tsuyuki D14/367

D468,732 S * 1/2003 Zdinak D14/257
 D483,374 S * 12/2003 Hung D14/439
 D487,090 S * 2/2004 Wilson D14/439
 D490,083 S * 5/2004 Wu D14/439
 6,891,723 B1 * 5/2005 Lin G11B 33/025
 361/679.33
 D506,469 S * 6/2005 Matsunaga D14/433
 D513,751 S * 1/2006 Alo D14/442
 7,251,132 B1 * 7/2007 Paul G06F 1/187
 248/618
 D556,204 S * 11/2007 Tosh D14/439
 D576,163 S * 9/2008 Sasaki D14/363
 7,570,484 B1 * 8/2009 Sivertsen G06F 1/187
 361/679.37
 D627,786 S * 11/2010 Hsia D3/247
 D681,635 S * 5/2013 Wang D14/366
 D692,883 S * 11/2013 Chen D14/367
 D711,387 S * 8/2014 Kuehn D14/441
 D736,770 S * 8/2015 Chou D14/367
 D739,404 S * 9/2015 Kuehn D14/348
 D742,887 S * 11/2015 Ignomirello D14/432
 D743,404 S * 11/2015 Ignomirello D14/432
 D747,716 S * 1/2016 Spencer D14/348
 D756,989 S * 5/2016 Sekine D14/260.1
 10,467,163 B1 11/2019 Malwankar et al.
 2003/0011979 A1 * 1/2003 Tanzer G06F 1/187
 361/679.33
 2004/0095716 A1 * 5/2004 McAlister G06F 1/187
 361/679.33
 2004/0132326 A1 * 7/2004 Matsunaga G06K 13/0806
 439/159
 2005/0073809 A1 * 4/2005 Chang G06F 1/187
 361/679.32
 2010/0321879 A1 * 12/2010 Peng G06F 1/187
 361/679.33
 2020/0278725 A1 * 9/2020 Shen G06F 1/187

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18