



US00D957406S

(12) **United States Design Patent**  
**Grulkowski et al.**

(10) **Patent No.:** **US D957,406 S**

(45) **Date of Patent:** **\*\* Jul. 12, 2022**

(54) **THREE PRONG MOUNT FOR SMART DEVICE**

(71) Applicant: **Legrand AV Inc.**, Eden Prairie, MN (US)

(72) Inventors: **Aaron Grulkowski**, Eden Prairie, MN (US); **Colin Downer-Carlson**, Eden Prairie, MN (US); **Mark Plummer**, Eden Prairie, MN (US); **Mark Trebicki**, Eden Prairie, MN (US); **Thomas Mitchell**, Eden Prairie, MN (US); **Wyatt Grunerud**, Eden Prairie, MN (US)

(73) Assignee: **Legrand AV Inc.**, Eden Prairie, MN (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/739,737**

(22) Filed: **Jun. 29, 2020**

(51) **LOC (13) Cl.** ..... **08-07**

(52) **U.S. Cl.**  
USPC ..... **D14/447**

(58) **Field of Classification Search**  
USPC ..... D14/447, 432, 434, 439, 440, 451, 452, D14/457, 239, 253; D8/363, 373, 380; D6/406.3, 406.4, 406.5, 406.6; D12/415; D13/108  
CPC ..... A47B 21/04; A47B 2097/006; A47B 2097/005; A47B 2023/049; A45C 2011/002; A45C 2011/003; F16M 2200/00; F16M 13/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D470,147 S \* 2/2003 Tan ..... D14/432  
D671,950 S \* 12/2012 Richter ..... D14/447

D685,380 S \* 7/2013 Richter ..... D14/447  
D692,436 S \* 10/2013 Hung ..... D14/447  
D766,908 S \* 9/2016 Richter ..... D14/447  
D829,723 S \* 10/2018 Kanter ..... D14/447  
D837,798 S \* 1/2019 Janzen ..... D14/447  
D856,344 S \* 8/2019 Wengreen ..... D14/447  
D863,205 S \* 10/2019 Lin ..... D12/415  
D872,026 S \* 1/2020 Eshelman ..... D13/133  
D881,167 S \* 4/2020 Jiao ..... D14/224

(Continued)

*Primary Examiner* — Angela J Lee

(74) *Attorney, Agent, or Firm* — Bradley J. Thorson

(57) **CLAIM**


The ornamental design for a three prong mount for smart device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front isometric view of the three prong mount for smart device holding a smart device;  
FIG. 2 is a front isometric view of the three prong mount for smart device holding a smart device and in an outlet attachment configuration;  
FIG. 3 is a front isometric view of the three prong mount for smart device;  
FIG. 4 is a front elevation view of the three prong mount for smart device;  
FIG. 5 is a left elevation view of the three prong mount for smart device;  
FIG. 6 is a right elevation view of the three prong mount for smart device;  
FIG. 7 is a top plan view of the three prong mount for smart device;  
FIG. 8 is a bottom plan view of the three prong mount for smart device; and,  
FIG. 9 is a rear elevation view of the three prong mount for smart device.

The broken lines shown in the drawings represent portions of the three prong mount for smart device that form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

D894,829 S \* 9/2020 Zhang ..... D13/108  
D908,113 S \* 1/2021 Eshelman ..... D14/217


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**




**FIG. 5**




**FIG. 6**






**FIG. 7**



**FIG. 8**



**FIG. 9**