



US00D957654S

(12) **United States Design Patent** (10) **Patent No.:** **US D957,654 S**  
**Savchuk** (45) **Date of Patent:** **\*\* \*Jul. 12, 2022**

- (54) **LOWER BACK SUPPORT BRACE**
- (71) Applicant: **Bogdana Savchuk**, Valencia (ES)
- (72) Inventor: **Bogdana Savchuk**, Valencia (ES)
- (\*) Notice: This patent is subject to a terminal disclaimer.
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/751,654**
- (22) Filed: **Sep. 23, 2020**
- (51) **LOC (13) Cl.** ..... **24-01**
- (52) **U.S. Cl.**  
 USPC ..... **D24/190**
- (58) **Field of Classification Search**  
 USPC .... D24/128, 188, 190; D29/100-101.5, 124;  
 D34/28  
 CPC ..... A61G 2200/34; A61G 2200/36; A61G  
 7/1046; A61G 7/1051; A61G 5/14; A61G  
 7/1038; A63B 21/0552; A63B 21/0557;  
 A63B 21/4035; A63B 21/0442; A63B  
 27/00; A63B 21/4043; A63B 21/1663  
 See application file for complete search history.

5,433,697 A	7/1995	Cox	
6,336,908 B1 *	1/2002	Slautterback .....	A41F 9/002 2/312
D518,895 S	4/2006	Weaver, II et al.	
D550,847 S	9/2007	Kixmiller	
7,449,006 B2 *	11/2008	Wolanske .....	A61F 5/028 128/100.1
D601,705 S *	10/2009	Bauerfeind .....	D24/189
D629,115 S	12/2010	Robertson	
D633,622 S *	3/2011	Chiang .....	D24/190
D660,439 S *	5/2012	Chen .....	D24/190
8,235,925 B2	8/2012	Cavalieri et al.	
8,372,023 B2	2/2013	Garth et al.	
D749,230 S	2/2016	Safko et al.	
D812,236 S *	3/2018	Burke .....	D24/190
D826,516 S *	8/2018	Vopni .....	D2/624
D860,466 S *	9/2019	Chiang .....	D24/190
D872,285 S *	1/2020	Sigurdsson .....	D24/190
D875,260 S *	2/2020	Rokitta .....	D24/190
D884,199 S *	5/2020	Mei .....	D24/190
D884,200 S *	5/2020	Mei .....	D24/190
D893,733 S *	8/2020	Watabe .....	D24/190
D913,630 S *	3/2021	Mei .....	D2/702
D914,890 S *	3/2021	Langberg .....	D2/702
D917,054 S *	4/2021	Woo .....	D24/190

(Continued)

Primary Examiner — Jennifer L Watkins

(57) **CLAIM**

I claim the ornamental design for a lower back support brace, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the lower back support brace in unfolded position showing my new design, with shorter hook and loop fastener surface; and, FIG. 2 is a rear view thereof.


The evenly spaced broken lines on claimed surfaces and zig zag broken lines depict claimed stitching. The pattern on the surface of the article in dashed lines is claimed surface pattern.

1 Claim, 1 Drawing Sheet

(56) **References Cited**

U.S. PATENT DOCUMENTS

D243,037 S *	1/1977	Spiro .....	D24/190
4,640,269 A	2/1987	Goins	
4,708,130 A	11/1987	Grudem	
4,993,409 A	2/1991	Grim	
5,007,412 A	4/1991	DeWall	
5,135,470 A	8/1992	Reeves	
5,179,942 A *	1/1993	Drulias .....	A61F 5/028 128/101.1
5,205,815 A	4/1993	Saunders	
5,207,636 A	5/1993	Striano	
5,267,947 A	12/1993	James et al.	
D349,767 S *	8/1994	Courtet .....	D24/190



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D920,523 S \* 5/2021 Lin ..... D24/190  
D937,427 S \* 11/2021 Li ..... D24/190  
D947,391 S \* 3/2022 Chen ..... D24/190

\* cited by examiner




FIG.1




FIG.2