



US00D958058S

(12) **United States Design Patent** (10) **Patent No.:** **US D958,058 S**
Ganshaw et al. (45) **Date of Patent:** **** Jul. 19, 2022**

(54) **BRACKET**

(71) Applicant: **Unirac Inc.**, Albuquerque, NM (US)

(72) Inventors: **Todd Ganshaw**, Albuquerque, NM (US); **Ernest Gallegos**, Albuquerque, NM (US); **Sai Uppu**, Albuquerque, NM (US)

(73) Assignee: **Unirac Inc.**, Albuquerque, NM (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/700,579**

(22) Filed: **Aug. 2, 2019**

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/102; D8/354**

(58) **Field of Classification Search**
USPC D13/102, 118, 184, 199; D8/355, 356, D8/354, 394; D25/119, 123, 124, 125
CPC F24J 2/46; F24J 2/526; F24J 2/5207; F24J 2/5211; F24J 2/5245; F24J 2/5258; Y02E 10/47; Y02B 10/20; H01L 31/043; H01L 31/02021
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D290,931 S *	7/1987	Powell		D8/371
D369,581 S	5/1996	McCoy et al.		
D517,402 S	3/2006	Cairns		
7,866,099 B2	1/2011	Komamine et al.		
D651,969 S	1/2012	Turk et al.		
D658,043 S *	4/2012	Burr		D8/366
D663,608 S	7/2012	Ruperto		
D668,379 S	10/2012	Storey		
D678,043 S *	3/2013	Lu		D8/373
8,595,996 B2	12/2013	Korman et al.		
8,713,858 B1	5/2014	Xie		
8,938,932 B1	1/2015	Wentworth et al.		

D729,043 S	5/2015	Poppell	
D745,346 S	12/2015	Birgl	
9,498,854 B2 *	11/2016	Danning	 F24S 25/67
D774,874 S	12/2016	Wentzel et al.	
9,577,571 B2 *	2/2017	Atia	 F24S 25/33
9,825,581 B2 *	11/2017	Wildes	 F24S 25/632
D808,576 S *	1/2018	Clarke	 D26/138
D843,932 S	3/2019	Sinai et al.	
2005/0017142 A1	1/2005	Ogden	
2007/0040083 A1	2/2007	McAloon	

(Continued)

Primary Examiner — Derrick E Holland

(74) *Attorney, Agent, or Firm* — Lee & Hayes, P.C.

(57) **CLAIM**


The ornamental design for a bracket, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a bracket;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view of a second embodiment of a bracket;
FIG. 9 is a front view thereof;
FIG. 10 is a back view thereof;
FIG. 11 is a left-side view thereof;
FIG. 12 is a right-side view thereof;
FIG. 13 is a top view thereof; and,
FIG. 14 is a bottom view thereof.

The dashed broken lines depict portions of the bracket that form no part of the claimed design. The dot-dashed broken lines represent boundaries of the claimed bracket and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0019796 A1 * 1/2009 Liebendorfer F24S 25/35
52/173.3
2012/0073220 A1 3/2012 Kobayashi et al.
2016/0285408 A1 9/2016 Ash et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14