



US00D958576S

(12) **United States Design Patent**  
**Mao et al.**

(10) **Patent No.:** **US D958,576 S**

(45) **Date of Patent:** **\*\* Jul. 26, 2022**

(54) **ARMREST**

(71) Applicant: **DAKANG HOLDING CO., LTD.**,  
Zhejiang (CN)

(72) Inventors: **Rujia Mao**, Zhejiang (CN); **Xiaoyu He**,  
Zhejiang (CN); **Kun Wang**, Zhejiang  
(CN)

(73) Assignee: **DAKANG HOLDING CO., LTD.**,  
Zhejiang (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/724,560**

(22) Filed: **Feb. 18, 2020**

(30) **Foreign Application Priority Data**

Sep. 3, 2019 (CN) ..... 201930483373.2

(51) **LOC (13) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/716.2**

(58) **Field of Classification Search**

USPC ..... D6/334-336, 364, 365, 366, 372, 373,  
D6/374, 375, 379, 380, 716, 716.1, 716.2,  
D6/716.3, 716.4

CPC ..... A47C 7/004; A47C 7/006; A47C 7/16;  
A47C 7/18; A47C 7/24; A47C 7/40;  
A47C 7/54; A47C 7/541; A47C 7/543;  
A47C 5/12; A47C 1/03; A47C 17/18

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D509,388 S \* 9/2005 Koepke ..... D6/716  
D535,131 S \* 1/2007 Loew ..... D6/716.2  
D535,505 S \* 1/2007 Cai ..... D6/716.2

D535,840 S \* 1/2007 Smith ..... D6/366  
D541,063 S \* 4/2007 Su ..... D6/366  
D595,970 S \* 7/2009 Ueda ..... D6/366  
D596,418 S \* 7/2009 Ueda ..... D6/366  
D606,345 S \* 12/2009 Tsai ..... D6/716.2  
D897,140 S \* 9/2020 Deng ..... D6/716.2  
D898,394 S \* 10/2020 Koi ..... D6/716.2

\* cited by examiner

*Primary Examiner* — Mimososa De

(74) *Attorney, Agent, or Firm* — JCIP Global Inc.

(57) **CLAIM**

The ornamental design for an armrest, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an armrest showing a first embodiment of our new design;  
FIG. 2 is a front view of the first embodiment;  
FIG. 3 is a rear view of the first embodiment;  
FIG. 4 is a left side view of the first embodiment;  
FIG. 5 is a right side view of the first embodiment;  
FIG. 6 is a top view of the first embodiment;  
FIG. 7 is a bottom view of the first embodiment;  
FIG. 8 is another perspective view of the first embodiment, showing the illumination part in lighted condition;  
FIG. 9 is a perspective view of an armrest showing a second embodiment of our new design;  
FIG. 10 is a front view of the second embodiment;  
FIG. 11 is a rear view of the second embodiment;  
FIG. 12 is a left side view of the second embodiment;  
FIG. 13 is a right side view of the second embodiment;  
FIG. 14 is a top view of the second embodiment;  
FIG. 15 is a bottom view of the second embodiment; and,  
FIG. 16 is another perspective view of the second embodiment, showing the illumination part in lighted condition.

**1 Claim, 14 Drawing Sheets**





FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8





FIG. 9



FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16