



US00D958610S

(12) **United States Design Patent**  
**Salih**

(10) **Patent No.:** **US D958,610 S**  
(45) **Date of Patent:** **\*\* Jul. 26, 2022**

- (54) **RETENTION SPOON**
- (71) Applicant: **Nader Salih**, Chicago, IL (US)
- (72) Inventor: **Nader Salih**, Chicago, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/803,454**
- (22) Filed: **Aug. 12, 2021**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 29/765,554, filed on Jan. 8, 2021.

- (51) **LOC (13) Cl.** ..... **07-03**
- (52) **U.S. Cl.**

USPC ..... **D7/653**; D7/401.2; D7/642

- (58) **Field of Classification Search**
- USPC ..... D4/138; D7/368, 401.2, 642-645, D7/653-664, 669, 675-677, 681, 683, D7/688-689, 691; D8/107, 300-301; D22/117-118

CPC ... A01D 9/02; A01D 9/04; A01D 9/06; A47G 21/00; A47G 21/004; A47G 21/005; A47G 21/02; A47G 21/023; A47G 21/04; A47G 21/06; A47G 21/08; A47G 21/181; A47J 43/28; A47J 43/281; A47J 43/282; A61F 13/10; A61J 7/0023; B25G 1/00; B25G 1/01; B25G 1/02; B25G 3/00; B65D 75/56; B65D 75/563; B65D 75/566; B67B 7/00; B67B 7/724; B67B 7/73

See application file for complete search history.

- (56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,984,081 A \* 12/1934 Pisculli ..... A47G 21/04 30/324
- D161,947 S \* 2/1951 Margolis ..... D24/116

- 2,640,263 A 6/1953 Dieterich
- 2,803,059 A \* 8/1957 Murdock ..... A47G 21/04 D7/653
- 3,911,578 A \* 10/1975 Ushkow ..... A61J 7/0023 215/DIG. 5
- D435,395 S \* 12/2000 Takabu ..... D7/401.2
- 6,701,625 B1 3/2004 Thomason et al.
- D501,374 S \* 2/2005 Crowley ..... D7/681
- D593,798 S \* 6/2009 Takabu ..... D7/401.2
- D722,843 S \* 2/2015 Lullie ..... D7/691
- 10,064,509 B2 9/2018 Schmid
- D850,122 S \* 6/2019 Kauffman ..... D4/138
- D927,944 S \* 8/2021 Yang ..... D7/653
- D939,291 S \* 12/2021 Ferrell ..... D7/401.2
- 2013/0047445 A1 2/2013 Zheng
- 2013/0125402 A1 \* 5/2013 Chubenko ..... A47G 21/00 30/340

\* cited by examiner

*Primary Examiner* — Ricky Pham


(57) **CLAIM**

The ornamental design for a retention spoon, as shown and described.

**DESCRIPTION**

FIG. 1 is a top-front-left perspective view of a retention spoon showing my new design;  
 FIG. 2 is a bottom-rear-right perspective view thereof;  
 FIG. 3 is a right elevational view thereof;  
 FIG. 4 is a left elevational view thereof;  
 FIG. 5 is a top plan view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is a front elevational view thereof; and,  
 FIG. 8 is a back elevational view thereof.  
 The broken line showing of a spoon handle in FIGS. 1-8 is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8