



US00D959036S

(12)

United States Design Patent

Westling

(10)

Patent No.:

US D959,036 S

(45)

Date of Patent:

** Jul. 26, 2022

(54) HEADLAMP

(71) Applicant: MILWAUKEE ELECTRIC TOOL CORPORATION, Brookfield, WI (US)

(72) Inventor: Bennett W. Westling, Milwaukee, WI (US)

(73) Assignee: MILWAUKEE ELECTRIC TOOL CORPORATION, Brookfield, WI (US)

(**) Term: 15 Years

(21) Appl. No.: 29/677,449

(22) Filed: Jan. 21, 2019

(51) LOC (13) Cl. 26-02


(52) U.S. Cl. D26/39

(58) Field of Classification Search

USPC D26/26, 37–51, 60–61, 63–66, 113, 120, D26/124, 138

CPC F21Y 2115/10; F21Y 2115/30; F21Y 2115/00; F21Y 2113/13; F21Y 2113/10; F21Y 2113/17; F21Y 2113/20; F21Y 2103/10; F21Y 2105/10; F21Y 2105/12; F21S 41/16; F21S 41/143; F21S 41/663; F21S 41/255; F21S 41/285; F21S 41/141; F21S 41/675; F21S 41/153; F21S 41/147; F21S 41/151; F21S 41/176; F21S 41/25; F21S 41/265; F21S 41/275; F21S 41/43; F21S 41/148; F21S 41/657; F21S 41/24; F21S 41/321; F21S 41/36; F21S 41/40; F21S 41/18; F21S 41/322; F21S 41/19; F21S 41/192; F21S 41/26; F21S 41/29; F21S 41/295; F21S 41/365; F21S 41/39; F21S 41/50; F21S 41/645; F21S 41/125; F21S 41/13; F21S 41/14; F21S 41/30; F21S 41/32; F21S 41/334; F21S 41/337; F21S 41/60; F21S 41/635; F21S 41/67; F21S 41/00; F21S 41/27; F21S 41/28; F21S 41/33; F21S 41/338; F21S 41/37; F21S 41/47; F21S 41/62; F21S 41/64; F21S 41/65; F21S 41/689; F21S 43/14;

F21S 43/26; F21S 43/00; F21S 43/16; F21S 43/237; F21S 43/241; F21S 43/245; F21S 43/27; F21S 43/30; F21S 43/31; F21S 43/315; F21S 43/40; F21S 43/37; B60Q 2300/42; B60Q 2300/56; B60Q 2300/112; B60Q 2300/45; B60Q 2300/122; B60Q 2300/132; B60Q 2300/21; B60Q 2300/32; B60Q 2300/322; B60Q 2300/324; B60Q 2300/052; B60Q 2300/05; B60Q 2300/11; B60Q 2300/14; B60Q 2300/23; B60Q 2300/30; B60Q 2300/332; B60Q 2300/334; B60Q 2300/43; B60Q 1/143; B60Q 1/04; B60Q 1/0023; B60Q 1/085; B60Q 1/1407; B60Q 1/08; B60Q 1/1423; B60Q 1/0041; B60Q 1/115; B60Q 1/1415; B60Q 1/0088; B60Q 1/0483; B60Q 1/076; B60Q 1/18; B60Q 1/0035; B60Q 1/0058; B60Q 1/0433; B60Q 1/045; B60Q 1/06; B60Q 1/0683; B60Q 1/10; B60Q 1/14; B60Q 1/24; B60Q 1/28; B60Q 1/00; B60Q 1/0005; B60Q 1/0011; B60Q 1/007; B60Q 1/0076; B60Q 1/0408; B60Q 1/0466; B60Q 1/0491; B60Q 1/068; B60Q 1/072; B60Q 1/12; B60Q 1/122; B60Q 1/2607; B60Q 1/50; B60Q 1/525; B60Q 2900/30; B60Q 2200/32; B60Q 2200/38; B60Q 2200/34; B60Q 2400/50; F21V 23/0414; F21V 23/0492; F21V 23/002; F21V 23/003; F21V 23/0471; F21V 23/023; F21V 23/0042; F21V 23/007; F21V 23/02; F21V 23/0428; F21V 23/0478; F21V 23/0485; F21V 23/06; F21V 21/096; F21V 21/0965; F21V 21/145; F21V 21/30; F21V 21/0816; F21V 21/0885; F21V 21/10; F21V 17/007; F21V 17/105; F21V 13/14; F21V 29/15; F21V 29/502; F21V 29/56; F21V 29/58; F21V 29/59; F21V 29/70; F21V 29/74; F21V 29/76; F21V 29/77; F21V 29/83; F21V 31/03; F21V 33/0008; F21V 3/08; F21V 3/12; F21V 5/008; F21V 5/10; F21V 9/30; F21V 9/35; F21V 9/40; H05B 45/10; H05B



45/20; H05B 45/44; H05B 45/12; H05B
45/30; H05B 47/105; H05B 47/10; H05B
47/125; H05B 47/18; H05B 47/115;
H05B 47/13; H05B 47/19; F21L 4/02;
F21L 4/04; F21L 4/00; F21L 14/00; F21L
14/022

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

4,559,586	A	12/1985	Slarve	
4,945,458	A	7/1990	Batts et al.	
5,040,099	A	8/1991	Harris	
5,329,637	A	7/1994	Walker	
5,688,039	A	11/1997	Johnson	
6,439,733	B1	8/2002	Fischer et al.	
6,648,489	B2	11/2003	Fischer et al.	
6,752,510	B1	6/2004	Appiah	
7,075,250	B2	7/2006	Colwell	
7,147,338	B2	12/2006	Gregg	
7,304,442	B2	12/2007	Colwell	
D581,567	S *	11/2008	Crawford	D26/38
7,901,104	B2	3/2011	McLean et al.	
8,025,432	B2	9/2011	Wainright	
8,070,307	B2	12/2011	Ho	
8,070,308	B1	12/2011	Lo et al.	
8,113,677	B2	2/2012	Carpenter	
8,157,402	B2	4/2012	Huss et al.	
8,350,486	B2	1/2013	Bucalo	
D680,250	S *	4/2013	Opolka	D26/39
D693,040	S *	11/2013	Svensson	D26/39
D703,850	S *	4/2014	Alvarado	D26/39
8,733,989	B1	5/2014	Lo et al.	
D708,793	S *	7/2014	Silverlieb	D30/152
8,807,778	B1	8/2014	Latchman et al.	
D721,842	S *	1/2015	Opolka	D26/39
9,271,343	B2	2/2016	Mackool et al.	
D802,189	S *	11/2017	Windom	D26/39
9,829,182	B1	11/2017	McCaslin et al.	
D804,695	S *	12/2017	Windom	D26/39
D812,793	S *	3/2018	Huang	D26/39
D814,676	S *	4/2018	Windom	D26/39
D836,810	S *	12/2018	DeBrunner	D26/39
D844,868	S *	4/2019	DeBrunner	D26/39
D861,209	S *	9/2019	Cooper	D26/37
D861,212	S *	9/2019	Windom	D26/39
D867,640	S *	11/2019	Windom	D26/39
D877,949	S *	3/2020	Deng	D26/39
D878,649	S *	3/2020	Kunzendorf	D26/39
D884,234	S *	5/2020	Bao	D26/39
D888,302	S *	6/2020	Boddaert	D26/39
D889,009	S *	6/2020	Kunzendorf	D26/36
D901,736	S *	11/2020	Kunzendorf	D26/39
D919,145	S *	5/2021	Gao	D26/39
2009/0323317	A1 *	12/2009	Spartano	F21V 23/0414 362/105
2010/0128468	A1	5/2010	Ong et al.	
2011/0145978	A1	6/2011	Harbin	
2011/0289658	A1	12/2011	Knoepfli et al.	
2012/0224356	A1	9/2012	Fischer et al.	
2015/0327615	A1	11/2015	Gelb	

2016/0146443	A1 *	5/2016	Steiner	F21V 23/001 362/105
2016/0150844	A1	6/2016	Das	
2017/0023189	A1	1/2017	Keisling et al.	
2017/0119078	A1	5/2017	Chen et al.	
2017/0276856	A1	9/2017	Gagneux	
2019/0053562	A1	2/2019	Bailey	
2020/0248896	A1 *	8/2020	Gall	F21L 4/04

FOREIGN PATENT DOCUMENTS

CN	104832796	A	8/2005
CN	104886860	A	9/2015
CN	204763607	U	11/2015
CN	106287306	A	1/2017
CN	206846378	U	1/2018
CN	108286668	A	7/2018
CN	202030533864.6	*	2/2021
DE	29718173	U1	1/1998
DE	20017922	U1	1/2001
DE	20319297	U1	2/2004
DE	20319126	U1	5/2005
DE	202009000140	U1	3/2009
DE	202009002563	U1	7/2009
EP	0185922	A2	7/1986
GB	2542845	A	4/2017
WO	2009143791	A1	12/2009

OTHER PUBLICATIONS

Icon 700 Headlamp. By Black Diamond Headlamps. Dated Nov. 30, 2019. Found online [Jul. 6, 2021]. https://www.blackdiamondequipment.com/en_EU/product/icon-700-headlamp/ (Year: 2019).*

* cited by examiner

Primary Examiner — Marissa J Cash

Assistant Examiner — William B Melliar

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57)

CLAIM

I claim the ornamental design for a headlamp, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a headlamp.
FIG. 2 is a front view of the headlamp shown in FIG. 1.
FIG. 3 is a rear view of the headlamp shown in FIG. 1.
FIG. 4 is a right side view of the headlamp shown in FIG. 1.
FIG. 5 is a left side view of the headlamp shown in FIG. 1.
FIG. 6 is a top view of the headlamp shown in FIG. 1; and,
FIG. 7 is a bottom view of the headlamp shown in FIG. 1.
The broken lines having equal segments represent portions of the headlamp that form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7