



US00D959059S

(12) **United States Design Patent**
Uibo et al.

(10) **Patent No.:** **US D959,059 S**

(45) **Date of Patent:** **** Jul. 26, 2022**

(54) **KNEE PAD**

(71) Applicant: **NoCry OÜ**, Saaremaa vald (EE)

(72) Inventors: **Egert Uibo**, Saaremaa vald (EE); **Siim Simmermann**, Saaremaa vald (EE)

(73) Assignee: **NOCRY OÜ**, Saaremaa Vald (EE)

(**) Term: **15 Years**

(21) Appl. No.: **29/743,016**

(22) Filed: **Jul. 17, 2020**

(30) **Foreign Application Priority Data**

Jun. 20, 2020 (EM) 008013676-0001

(51) **LOC (13) Cl.** **02-99**

(52) **U.S. Cl.**
USPC **D29/121.1**

(58) **Field of Classification Search**
USPC D29/100, 120.1, 121.1, 122; D24/190
CPC A61F 5/0106; A61F 5/0109; A61F 5/012;
A61F 5/0123; A41D 13/065; A41D
13/0568

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D377,851 S *	2/1997	Dancyger	D29/121.1
D408,596 S *	4/1999	Dancyger	D29/121.1
D430,362 S *	8/2000	Pagotto	D29/121.1
D466,254 S *	11/2002	Hung	D29/121.1
D473,977 S *	4/2003	Lesosky	D29/121.1
D492,068 S *	6/2004	Peterson	D29/121.1
D504,981 S *	5/2005	Vanderhoef	D29/121.1
D553,303 S *	10/2007	So	D29/121.1
D588,310 S *	3/2009	Dancyger	D29/121.1
D602,209 S *	10/2009	Cheung	D29/121.1
D602,210 S *	10/2009	Crye	D29/121.1
D638,995 S *	5/2011	Hanlon	D29/121.1
D656,278 S *	3/2012	Saranga	D29/121.1

D704,898 S *	5/2014	Kaal	D29/121.1
D717,499 S *	11/2014	Stauber	D29/121.1
D732,749 S *	6/2015	Vito	D29/121.1
D741,552 S *	10/2015	Vito	D29/121.1
D788,992 S *	6/2017	Votel	D29/121.1
D788,993 S *	6/2017	Votel	D29/121.1

(Continued)

FOREIGN PATENT DOCUMENTS

CN 306185188 * 11/2020

OTHER PUBLICATIONS

NoCry Professional Knee Pads for Work (on-line), date first available Oct. 25, 2020. Retrieved from Internet Feb. 28, 2022, URL: <https://www.amazon.com/NoCry-Professional-Enhanced-Adjustable-Comfortable/dp/B08LTMW81Z> (6 pages) (Year: 2020).*

Primary Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Blue Filament Law PLLC

(57) **CLAIM**

The ornamental design for a knee pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a knee pad showing our new design;

FIG. 2 is a front view of the knee pad depicted in FIG. 1;

FIG. 3 is a rear view of the knee pad depicted in FIG. 1;

FIG. 4 is a top view of the knee pad depicted in FIG. 1;


FIG. 5 is a bottom view of the knee pad depicted in FIG. 1;

FIG. 6 is a right side view of the knee pad depicted in FIG. 1; and,

FIG. 7 is a left side view of the knee pad depicted in FIG. 1.

The broken lines in the figures depict portions of the knee pad that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D789,616	S *	6/2017	Votel	D29/121.1
D832,526	S *	10/2018	Stobar	D29/121.1
D837,459	S *	1/2019	Stobar	D29/121.1
D837,460	S *	1/2019	Stobar	D29/121.1
2013/0107499	A1 *	5/2013	Noble	A41D 13/065
				362/103
2013/0145514	A1 *	6/2013	Noble	A41D 13/065
				2/24
2018/0213857	A1 *	8/2018	Miller	A41D 13/065

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7