



US00D959984S

(12) **United States Design Patent** (10) **Patent No.:** **US D959,984 S**
Basset et al. (45) **Date of Patent:** **** Aug. 9, 2022**

(54) **CONTAINER STOPPER**

A45D 40/20; A45D 40/24; A45D 40/02;
A45D 40/06; A45D 40/18;

(71) Applicant: **ELC MANAGEMENT LLC**, Melville,
NY (US)

(Continued)

(72) Inventors: **Franck-Alexandre Basset**, Paris (FR);
Kilian Alexandre Dominique
Hennessy, New York, NY (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D207,750 S * 5/1967 Roth D9/452
D369,550 S * 5/1996 Crosby D9/435

(Continued)

(73) Assignee: **ELC MANAGEMENT LLC**, Melville,
NY (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **15 Years**

AU 201827522 2/2019
CN 301975567 7/2012

(21) Appl. No.: **29/754,668**

(Continued)

(22) Filed: **Oct. 13, 2020**

(51) **LOC (13) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/452**

(58) **Field of Classification Search**
USPC D3/17, 29; D7/368, 387, 389, 391,
D7/392.1, 396.1, 396.2, 396.4, 397, 400,
D7/514, 516, 519, 539, 544, 571, 573,
D7/578; D9/414, 416, 417, 434, 435,
D9/436, 439, 440, 441, 443, 445, 447,
D9/448, 451, 452, 453, 454, 601, 682,
D9/685, 686, 688, 690, 695, 707, 708,
D9/709, 723, 724, 727; D23/206, 208,
D23/209, 213, 223, 226, 259, 260, 261;
D24/112, 121, 127, 162, 194, 196;
D28/4, 76, 79, 80, 81, 82, 84, 85, 87,
D28/91.1; D6/542; D11/152

CPC B65D 85/8064; B65D 85/8043;
B65D 77/20; B65D 25/48; B65D
2543/00046; B65D 2543/00092; B65D
2585/56; B65D 2585/545; A47J 31/407;
A47J 31/04; A47J 31/10; A47J 31/24;
A23F 5/24; B05B 11/0032; B05B
11/0027; B05B 11/3004; B05B 11/3015;
B05B 11/306; B05B 11/3064; B05B
11/3059; B65B 29/06; A45D 33/24;
A45D 33/26; A45D 33/28; A45D 40/00;

OTHER PUBLICATIONS

Antique Metal Perfume Bottle: Site Visited [Mar. 22, 2022]. Avail-
able from Internet URL: <https://www.aliexpress.com/item/32725996898.html>.*

Primary Examiner — Catherine S Posthauer
(74) *Attorney, Agent, or Firm* — Yonggang Wu


(57) **CLAIM**

The ornamental design for a container stopper, as shown and
described herein.

DESCRIPTION

FIG. 1 is a top front isometric view of a container stopper
showing the claimed design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left view thereof;
FIG. 5 is a right view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

(Continued)



The broken lines are shown for the purpose of illustrating environmental subject matter of an exemplary container and form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(58) Field of Classification Search

CPC A45D 40/262; A45D 34/00; A45D 34/04;
A45D 34/06; A45D 34/041

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D376,035 S *	11/1996	Boucheron	D28/91.1
D404,796 S *	1/1999	Miller	D23/209
D406,316 S *	3/1999	Rao	D23/209
D415,819 S *	10/1999	Miller	D23/209
D481,101 S *	10/2003	Boehrs	D23/209
D537,348 S	2/2007	Beck et al.		
D606,400 S *	12/2009	Douglas	D9/451
D609,775 S *	2/2010	Zukor	D23/209
D667,998 S *	9/2012	Sheffield	D28/81
D673,328 S *	12/2012	Arinsmier	D28/76
D674,696 S *	1/2013	Chambers	D9/454
D675,523 S *	2/2013	Bartz	D9/443
D676,748 S *	2/2013	Guillois	D9/452
D677,567 S *	3/2013	Groves	D9/454
D696,964 S *	1/2014	Chen	D9/688
D718,639 S	12/2014	Guichot		
D721,901 S *	2/2015	Chen	D6/542
D740,491 S *	10/2015	Albertini	D19/907
D748,865 S *	2/2016	Hall	D9/504
D756,779 S *	5/2016	Kang	D9/454
D776,354 S	1/2017	Schlatter et al.		
RE46,542 E *	9/2017	Chambers	D9/452
D799,755 S *	10/2017	Chertoff	D28/89
D845,132 S *	4/2019	Otani	D9/503
D848,856 S *	5/2019	Holbrook	D9/688

D884,474 S *	5/2020	Pinard	D9/452
D886,608 S *	6/2020	Pinard	D9/452
D889,263 S *	7/2020	Scharf	D9/452
D889,966 S	7/2020	Gautier et al.		
D896,078 S *	9/2020	Kerkvliet	D9/452
D914,503 S *	3/2021	Aboabdo	D9/503
D918,718 S *	5/2021	Nuno Freire Moniz Borba	D9/439
D930,906 S *	9/2021	Jung	D9/504
D942,857 S *	2/2022	De Baschmakoff	D9/452
D943,833 S *	2/2022	Min	D28/85
D945,265 S *	3/2022	Wanders	D9/452

FOREIGN PATENT DOCUMENTS

CN	302735005	2/2014
CN	304313081	10/2017
CN	304313100	10/2017
CN	304592601	4/2018
CN	304766951	8/2018
CN	304810593	9/2018
CN	304810595	9/2018
CN	304956784	12/2018
CN	305027088	2/2019
EM	0012627787-0006	10/2009
EM	001792136-0001	12/2010
EM	003253806-0003	6/2016
EM	003253806-0009	6/2016
EM	003253806-0010	6/2016
HK	1802455.6	12/2018
JP	D1645419	10/2019
JP	D1645571	10/2019
JP	D1647731	11/2019
JP	D1647778	11/2019
JP	D1663101	6/2020
KR	300931071.0000	11/2017
KR	300963514.0000	7/2018
KR	300963670.0000	7/2018
KR	300976472.0000	10/2018
RU	00105843	11/2017
TW	D124750	9/2008
TW	D199248	8/2019

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7