



US00D960108S

(12) **United States Design Patent** (10) **Patent No.:** **US D960,108 S**
Klein (45) **Date of Patent:** **** Aug. 9, 2022**

(54) **FULL GRIPPED WIRE CONNECTOR**

(71) Applicant: **John E. Klein**, Chandler, AZ (US)

(72) Inventor: **John E. Klein**, Chandler, AZ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/736,436**

(22) Filed: **May 29, 2020**

(51) **LOC (13) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/150**

(58) **Field of Classification Search**
USPC D13/103, 118–120, 123, 133, 146, 147,
D13/149, 150, 154, 184, 199; D9/452,
D9/453; D19/194
CPC ... H01R 4/00; H01R 4/12; H01R 4/22; H01R
4/48; H01R 43/04; H02G 15/04; H02G
15/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D126,574 S * 4/1941 Deibel D26/113
D175,257 S * 8/1955 Hopkins D9/449
D190,583 S * 6/1961 Schinske D13/150
3,483,310 A * 12/1969 Krup H01R 4/22
174/87
D233,992 S * 12/1974 Marr D13/150
D310,969 S * 10/1990 Butler D9/453
D321,861 S * 11/1991 Wennemar D13/150
D330,011 S * 10/1992 Miller D13/150
D338,159 S * 8/1993 Densky D9/453
5,315,066 A * 5/1994 Spiteri, Sr. H01R 4/22
174/87
5,910,643 A * 6/1999 Laine H01R 4/22
174/87
D426,439 S * 6/2000 Hames D8/40
D471,234 S * 3/2003 Okutani D19/194
6,677,530 B2 1/2004 Blaha et al.

D503,684 S * 4/2005 Popovici D13/150
D523,821 S 6/2006 Michaud et al.
D537,416 S * 2/2007 Fortin D13/156
7,365,270 B2 4/2008 Michaud et al.
8,525,026 B1 * 9/2013 Rhea H01R 43/00
174/87
9,017,112 B1 * 4/2015 Knowles H01R 4/22
439/750

(Continued)

OTHER PUBLICATIONS

175PCS Electrical Wire Connectors Screw Terminals, dated Mar. 26, 2019, [online], [site visited Aug. 13, 2021]. Available from Internet, URL: <https://www.amazon.com/Electrical-Connectors-Terminals-Connection-Assortment/dp/B07KFD6LBR/> (Year: 2019).*

(Continued)

Primary Examiner — Shawn T Gingrich
(74) *Attorney, Agent, or Firm* — Booth Udall Fuller,
PLC; Kenneth C. Booth


(57) **CLAIM**

I claim the ornamental design for a full gripped wire connector, as shown and described.

DESCRIPTION

FIG. 1 is a front view for a full gripped wire connector;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a back view thereof;
FIG. 7 is a front perspective view thereof;
FIG. 8 is a rear perspective view thereof; and,
FIG. 9 is a cross-sectional view thereof taken along section lines FIG. 9-FIG. 9 of FIG. 1.
The broken lines in the figures represent portions of the article which form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D732,389	S	*	6/2015	Nickel		D9/453
9,391,388	B1	*	7/2016	King, Jr.		H01R 4/22
D777,111	S	*	1/2017	Zantout		D13/150
D904,189	S	*	12/2020	Twede		D9/453
2010/0018741	A1	*	1/2010	Rhea		H01R 4/22
						174/87

OTHER PUBLICATIONS

Standard Wire Connector, Assortment (30-Pack), dated Feb. 5, 2019, [online], [site visited Aug. 13, 2021]. Available from Internet, URL: <https://www.homedepot.com/p/Commercial-Electric-Standard-Wire-Connector-Assortment-30-Pack-778128/302686297> (Year: 2019).*

CLD Wire Connectors, dated Jul. 23, 2017, [online], [site visited Aug. 13, 2021]. Available from Internet, URL: <http://cldinc.ca/screw-on-wire-connectors> (Year: 2017).*

Twister® ProFLEX™ Wire Connector, Model 347 Red/Yellow: <https://idealind.com/shop/twister-proflex-347-box-of-50.html>.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9