



US00D960129S

(12) **United States Design Patent** (10) **Patent No.:** **US D960,129 S**
Karimi et al. (45) **Date of Patent:** **** Aug. 9, 2022**

(54) **CASE FOR ELECTRONIC COMMUNICATION DEVICE**

(71) Applicant: **Geotab Inc.**, Oakville (CA)

(72) Inventors: **Sajjad Karimi**, Mississauga (CA);
Marc James Christelis, Mississauga (CA)

(73) Assignee: **Geotab Inc.**, Oakville (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/736,543**

(22) Filed: **Jun. 9, 2020**

(51) **LOC (13) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/217**

(58) **Field of Classification Search**
USPC D9/415; D10/46, 121; D13/103, 110,
D13/123, 177, 184; D14/140.1, 140.4,
D14/240, 242, 299, 348, 358
CPC H04W 88/00; H04W 88/08; H01H 47/00;
H01H 9/02; H05K 7/20545
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D253,281 S *	10/1979	Kim	D13/184
D336,302 S *	6/1993	Kwang	D14/140.4
D437,313 S *	2/2001	Chen	D13/152
D471,541 S *	3/2003	Tomino	D14/240
D565,021 S *	3/2008	Wilson	D14/188
D576,904 S *	9/2008	Beadle	D10/118
D732,010 S *	6/2015	Hsiau	D14/240
D743,290 S *	11/2015	Welch	D10/121
9,251,628 B2	2/2016	Ubik et al.		
D767,514 S *	9/2016	Summers	D13/184
D834,569 S *	11/2018	Moon	D14/242
D883,964 S *	5/2020	Jang	D14/240

(Continued)

FOREIGN PATENT DOCUMENTS

GB 2 483 868 A 3/2012

OTHER PUBLICATIONS

[How to Install Geotab's GO9 Rugged | Heavy Duty Fleet Tracking Device], announced in YouTube on Jun. 16, 2021 [online], [Mar. 1, 2022], Available from the internet URL: <https://www.youtube.com/watch?v=Y1KD1w70RFk> (Year: 2021).*

(Continued)

Primary Examiner — Khawaja Anwar

Assistant Examiner — Megan Tiana Rakos

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks, P.C.

(57) **CLAIM**

The ornamental design for a case for electronic communication device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of an embodiment of a case for an electronic communication device;

FIG. 2 is a top, rear, right side perspective view thereof;

FIG. 3 is a front plan view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a left side elevation view thereof;

FIG. 7 is a right side elevation view thereof; and,

FIG. 8 is a rear plan view thereof.

The dash-dash broken lines illustrate portions of a case for an electronic communication device that form no part of the claimed design. The dash-dot-dash broken lines represent boundaries of the claimed design and form no part of the claimed design. The regions between the dash-dot-dash broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D886,045 S * 6/2020 Deng D13/103
D920,138 S * 5/2021 Kuwashiro D10/46
2004/0230356 A1 11/2004 Namaky
2014/0019000 A1 1/2014 Ruther et al.
2016/0013598 A1 1/2016 Kirkpatrick et al.
2016/0110929 A1 4/2016 Park
2016/0370202 A1 12/2016 James et al.
2017/0046048 A1 2/2017 Marshall et al.
2017/0240126 A1 8/2017 Kang et al.
2018/0151003 A1 5/2018 Grobler et al.
2020/0160627 A1 5/2020 Jeong et al.
2020/0302547 A1 9/2020 Konrardy et al.

OTHER PUBLICATIONS

Walli, When is a Go Rugged Device Required? Geotab. Nov. 6, 2018, 11 pages.

Walli et al., Specialized casing unit detection for asset tracking devices. Co-pending U.S. Appl. No. 17/009,479, filed Sep. 1, 2020. Extended European Search Report for European Application No. 21185723.0, dated Jan. 20, 2022.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8