

US00D960331S

(12) **United States Design Patent**
Yen

(10) **Patent No.:** **US D960,331 S**

(45) **Date of Patent:** **** *Aug. 9, 2022**

(54) **HOSE CONNECTOR**

(71) Applicant: **Spring Art Company**, Changhua (TW)

(72) Inventor: **Ming-Tsan Yen**, Changhua (TW)

(73) Assignee: **Spring Art Company**, Changhua (TW)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/762,101**

(22) Filed: **Dec. 15, 2020**

(51) **LOC (13) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/263; D23/262**

(58) **Field of Classification Search**
USPC D23/200, 206–209, 233–237, 259,
D23/322–323, 213, 230–232, 245, 365,
D23/262–263, 266, 268, 231–232, 265;
210/222–223; 209/39; D13/147, 154,
D13/156; 138/26, 30; 285/9.1, 129.1,
285/133.11, 207.5, 208, 210, 213, 83,
285/275, 277, 148.14, 148.21, 268, 148.2,
285/179; D24/127, 129
CPC ... F28F 23/02; F28F 2250/08; F16L 2201/30;
F16L 25/00; F16L 55/04; F16K 51/36;
F16K 1/42; F16K 7/17; B01D 27/08;
B01D 24/10; B01D 33/50; B05B 1/18;
C02F 1/003; E03C 1/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,817,996 A * 4/1989 Fouts F16L 33/01
285/179
- 5,215,335 A * 6/1993 Hamm, Jr. F16L 33/00
248/68.1
- D356,147 S * 3/1995 Clivio D23/262
- D434,834 S * 12/2000 Goto D23/262
- D613,373 S * 4/2010 Zore D23/233

- 7,887,097 B2 * 2/2011 Blivet F16L 37/0841
285/45
 - D634,818 S * 3/2011 Leroyer D23/263
 - D634,820 S * 3/2011 Leroyer D23/263
 - D645,547 S * 9/2011 Lombardi D23/262
- (Continued)

OTHER PUBLICATIONS

Uxcell Brass Barb Hose Fitting; Amazon First Available Date Mar. 8, 2019; Visited Online Nov. 24, 2021; https://www.amazon.com/uxcell-Fitting-Degree-Adapter-Connector/dp/B07PGZ5D79/ref=sr_l_118_sspa?keywords=Elbow%2BHose%2BConnector&qid=1637765039&s=hi&sr=1-118-sponZW5jcGVkUXVhbGlmaWVyPUFYTOIHNI (Year: 2019).*

Primary Examiner — Amy C Wierenga

(74) *Attorney, Agent, or Firm* — Alan D. Kamrath; Karin L. Williams; Mayer & Williams PC


(57) **CLAIM**

The ornamental design for a hose connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a hose connector showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a perspective view of a second embodiment of a hose connector showing my new design; FIG. 9 is a perspective view of a third embodiment of a hose connector showing my new design; and, FIG. 10 is an enlarged detail view of the corresponding portion 10 indicated in FIG. 6. The dash-dot-dot broken line shown in FIGS. 6 and 10 indicates cutoff boundaries for enlarged detailed portion views and form no part of the claim.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,303,000 B2 * 11/2012 Liu F16L 37/42
285/277
D741,458 S * 10/2015 Guest D23/262
D746,958 S * 1/2016 Gledhill D23/262
D751,675 S * 3/2016 Gledhill D23/259
D774,163 S * 12/2016 Solakian D23/213
D804,618 S * 12/2017 Hurley D23/259
D832,409 S * 10/2018 Sugatani D23/263
2010/0295292 A1 * 11/2010 Wang F16L 33/224
285/24
2011/0271515 A1 * 11/2011 Poder F16L 37/144
29/525.01
2014/0326345 A1 * 11/2014 Kuo F16L 37/28
137/798
2015/0226360 A1 * 8/2015 Souma B29C 45/2614
285/179

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10