



US00D960375S

(12) **United States Design Patent**  
**Wasserman**

(10) **Patent No.:** **US D960,375 S**

(45) **Date of Patent:** **\*\* Aug. 9, 2022**

(54) **ELECTRODE ARRAY**

D785,187 S \* 4/2017 Darmanjian ..... A61B 5/033  
D24/187

(71) Applicant: **NOVOCURE GMBH**

D800,321 S \* 10/2017 Roche ..... D24/187  
D866,199 S \* 11/2019 Carlile ..... D5/99

(72) Inventor: **Yoram Wasserman**, Haifa (IL)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **NOVOCURE GMBH**, Root (CH)

CN 305338240 9/2019  
CN 202030125122.X \* 9/2020

(\*\*) Term: **15 Years**

\* cited by examiner

(21) Appl. No.: **29/719,357**

*Primary Examiner* — Omeed Agilee

(22) Filed: **Jan. 3, 2020**

(74) *Attorney, Agent, or Firm* — Ballard Spahr LLP

(51) **LOC (13) Cl.** ..... **24-02**

(57) **CLAIM**

(52) **U.S. Cl.**  
USPC ..... **D24/187**

The ornamental design for an electrode array, as shown and described.

(58) **Field of Classification Search**  
USPC ..... D24/107, 168, 186, 187, 189, 200  
CPC ... A61B 5/0404; A61B 5/0416; A61B 5/0422;  
A61B 5/0424; A61B 5/04012; A61B  
5/04082; A61B 5/04085; A61B 5/04087;  
A61B 5/6841; A61N 1/046; A61N  
1/0472; A61N 1/0476  
See application file for complete search history.

**DESCRIPTION**


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,453,186 B1 \* 9/2002 Lovejoy ..... A61B 5/282  
600/386  
D505,206 S \* 5/2005 Chastain ..... D24/187  
D598,111 S \* 8/2009 Phillips ..... D24/187  
7,826,882 B2 \* 11/2010 McIntire ..... A61B 5/0006  
600/393  
8,238,996 B2 \* 8/2012 Burnes ..... A61B 5/282  
600/382  
D761,436 S \* 7/2016 Fogarty ..... D24/187

FIG. 1 is a perspective view of an electrode array showing my new design;  
FIG. 2 is a front elevational view of the electrode array of FIG. 1;  
FIG. 3 is a rear elevational view of the electrode array of FIG. 1;  
FIG. 4 is a top plan view of the electrode array of FIG. 1;  
FIG. 5 is a bottom plan view of the electrode array of FIG. 1;  
FIG. 6 is a left side elevational view of the electrode array of FIG. 1; and,  
FIG. 7 is a right side elevational view of the electrode array of FIG. 1.  
The broken lines having consistent dash lengths (dash-dash-dash) shown in FIGS. 1-7 depict portions of the electrode array that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7