

US00D960677S

(12) **United States Design Patent** (10) **Patent No.:** **US D960,677 S**
Kennelly (45) **Date of Patent:** **** *Aug. 16, 2022**

(54) **HANDHELD JIG FOR GUIDING DRIVING OF A FASTENER OR TOOL**

(71) Applicant: **Illinois Tool Works Inc.**, Glenview, IL (US)

(72) Inventor: **Bernard Joseph Kennelly**, New South Wales (AU)

(73) Assignee: **Illinois Tool Works Inc.**, Glenview, IL (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/758,307**

(22) Filed: **Nov. 13, 2020**

(30) **Foreign Application Priority Data**

May 19, 2020 (AU) 202012858

(51) **LOC (13) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/71**

(58) **Field of Classification Search**
USPC D8/71, 349, 354, 355, 330, 331, 333, D8/380, 382

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,413,362 A * 12/1946 Maxwell E04B 1/2608 403/219

D224,083 S 7/1972 Gilb

(Continued)

Primary Examiner — Keli L Hill

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — Neal, Gerber & Eisenberg LLP

(57) **CLAIM**

The ornamental design for hand held jig for guiding driving of a fastener or tool, as shown and described.

DESCRIPTION

This application is related to the following commonly owned co-pending patent application: U.S. application Ser. No. 29/758,309, entitled "Blank Foldable to Form a Handheld Jig for Guiding Driving of a Fastener or Tool".

FIG. 1 is a rear lower right perspective view of a handheld jig for guiding driving of a fastener or tool of one embodiment of my new design.

FIG. 2 is a rear lower left perspective view of the jig of FIG. 1.

FIG. 3 is a front lower right perspective view of the jig of FIG. 1.

FIG. 4 is a front lower left perspective view of the jig of FIG. 1.

FIG. 5 is a rear upper right perspective view of the jig of FIG. 1.

FIG. 6 is a front upper left perspective view of the jig of FIG. 1.

FIG. 7 is a front upper right perspective view of the jig of FIG. 1.

FIG. 8 is a rear upper left perspective view of the jig of FIG. 1.

FIG. 9 is a right side elevation view of the jig of FIG. 1.

FIG. 10 a front elevation view of the jig of FIG. 1.

FIG. 11 a left side elevation view of the jig of FIG. 1.

FIG. 12 is a rear elevation view of the jig of FIG. 1.

FIG. 13 is a bottom view of the jig of FIG. 1.

FIG. 14 is a rear lower left perspective view of a handheld jig for guiding driving of a fastener or tool of another embodiment of my new design.

FIG. 15 is a rear lower right perspective view of the jig of FIG. 14.

FIG. 16 is a front lower left perspective view of the jig of FIG. 14.

FIG. 17 is a front lower right perspective view of the jig of FIG. 14.

FIG. 18 is a rear upper left perspective view of the jig of FIG. 14.

(Continued)




FIG. 19 is a front upper right perspective view of the jig of FIG. 14.
 FIG. 20 is a front upper left perspective view of the jig of FIG. 14.
 FIG. 21 is a rear upper right perspective view of the jig of FIG. 14.
 FIG. 22 is a right side elevation view of the jig of FIG. 14.
 FIG. 23 is a front elevation view of the jig of FIG. 14.
 FIG. 24 is a left side elevation view of the jig of FIG. 14.
 FIG. 25 is a rear elevation view of the jig of FIG. 14; and,
 FIG. 26 is a bottom view of the jig of FIG. 14.

1 Claim, 13 Drawing Sheets

(58) **Field of Classification Search**

CPC E04H 12/14; E04H 9/027; E04B 1/2608;
 E04B 7/045; E04B 1/26; E04B 1/38
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,291,996 A 9/1981 Gilb
 4,455,805 A * 6/1984 Rionda E04B 1/2612
 52/712
 4,714,372 A * 12/1987 Commins E04B 1/2608
 52/92.2

4,896,985 A 1/1990 Commins
 5,178,503 A 1/1993 Losada
 5,324,132 A 6/1994 Hunter et al.
 5,380,115 A 1/1995 Colonias
 5,732,524 A * 3/1998 Kalker, Jr. E04B 1/2608
 52/712
 6,213,373 B1 4/2001 Wakai
 6,230,467 B1 5/2001 Leek
 6,510,666 B1 * 1/2003 Thompson E04B 5/12
 52/489.1
 D476,217 S * 6/2003 Shea D8/354
 D618,085 S * 6/2010 Lin D8/354
 7,886,494 B1 * 2/2011 Schott E04F 15/04
 52/489.1
 D638,280 S * 5/2011 Mcalonan D8/349
 8,176,689 B1 * 5/2012 Thompson E04G 23/0218
 52/92.1
 8,827,132 B2 9/2014 Mina et al.
 8,910,452 B2 * 12/2014 Noturno E04B 7/045
 52/93.2
 D768,470 S * 10/2016 Noturno D8/382
 D787,917 S * 5/2017 Kennelly D8/354
 D796,938 S * 9/2017 Rago D8/354
 D823,096 S * 7/2018 Kennelly D8/354
 D855,441 S * 8/2019 Schmonsees D8/349
 D867,112 S * 11/2019 Taylor D8/363
 D912,497 S * 3/2021 Herbertsson D8/354
 11,033,988 B2 * 6/2021 Jaffe B23K 37/0443
 2010/0011697 A1 1/2010 Nguyen et al.
 2010/0166497 A1 7/2010 Vilasineekul
 2012/0061535 A1 * 3/2012 Taneichi B21D 31/02
 248/220.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22



FIG. 23




FIG. 24



FIG. 25



FIG. 26