

US00D960713S

(12)

United States Design Patent

Rajan et al.

(10)

Patent No.:

US D960,713 S

(45)

Date of Patent:

** Aug. 16, 2022

(54) APPLICATOR

(71) Applicant: Church & Dwight Co., Inc., Princeton, NJ (US)

(72) Inventors: Sujata Sundara Rajan, Belle Mead, NJ (US); Ming Zeng, Princeton, NJ (US); Jonathan Andrew Wharton, Ewing, NJ (US); Timothy Snowden, Howell, NJ (US); Pamela Dozier, Doylestown, PA (US); Brian Orme, Phoenixville, PA (US); Meredith Ingrassia, North Wales, PA (US)

(73) Assignee: Church & Dwight Co., Inc., Princeton, NJ (US)

(**) Term: 15 Years

(21) Appl. No.: 29/748,433

(22) Filed: Aug. 28, 2020

(51) LOC (13) Cl. 09-05

(52) U.S. Cl. USPC D9/697

(58) Field of Classification Search
USPC D9/702–714, 695–699, 435, 440, 521, D9/454, 544, 723–729, 499, 449, D9/727–728, 442, 447, 504, 682, 694; 222/92, 96, 107, 527–529, 215, 491, 206, 222/212–213, 251, 95, 536; 206/438, 206/822; 220/DIG. 7, 669; 215/321, 215/381, 382, 316, 380; 141/114–115; D28/91.1, 76–78, 82, 88; D24/114; D7/601, 602; D3/202, 205
CPC B65D 35/00; B65D 35/28; B65D 35/02; B65D 35/04; B65D 35/08; B65D 35/36; B65D 35/38; B65D 5/00; B65D 5/001; B65D 1/0223; B65D 1/02; B65D 1/10; B65D 1/46; A46B 15/0055; A45B 7/00; A45B 7/02; A45B 7/023; A45B 7/026; A45B 5/00; A45B 5/002; A45B 5/0033;

A45B 5/0054; A45B 5/0075; A45D 34/02; A45D 34/04; A45D 34/042; A45D 34/045; A45D 34/06; A45D 2034/002; A45D 2200/054; A45D 2200/055; A45D 2200/056; A45D 2200/057

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,690,181 A 9/1954 Boyer
3,074,115 A 1/1963 Albrecht et al.
3,570,662 A 3/1971 Polyak
(Continued)

FOREIGN PATENT DOCUMENTS

CN 303317444 8/2015
CN 106139378 11/2016
(Continued)

Primary Examiner — Abraham Bahta
(74) Attorney, Agent, or Firm — Church & Dwight Co., Inc.


(57) CLAIM

The ornamental design for an applicator, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an applicator of the present invention showing our new design;
FIG. 2 is a front elevational view thereof, the rear elevational view being substantially identical thereto;
FIG. 3 is side elevational view thereof, the opposing side elevational view being substantially identical thereto;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a bottom plan view thereof.
The broken lines shown in the figures depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

3,777,949	A	12/1973	Chiquiari	
D236,235	S	8/1975	Payton	
4,358,028	A	11/1982	Chiquiar-Arias	
D300,561	S	4/1989	Asa et al.	
5,006,004	A	4/1991	Dirksing et al.	
D345,211	S	3/1994	Bologna	
D375,352	S	11/1996	Bologna	
D403,960	S	1/1999	Stromblad et al.	
6,443,330	B1	9/2002	Kuboshima	
6,626,308	B2	9/2003	Weiler	
D518,891	S	4/2006	Strong	
D601,908	S	10/2009	Yun	
8,870,836	B2	10/2014	Sweeney	
D803,054	S	11/2017	Van Spronsen	
D859,647	S	9/2019	Chang	
D882,272	S *	4/2020	Celia, Jr.	D28/7
D884,481	S *	5/2020	Lim	D9/691
2009/0131874	A1	5/2009	Maki et al.	
2011/0087172	A1	4/2011	Gunderson	

FOREIGN PATENT DOCUMENTS

EP	1588734	10/2005
GB	2018233	10/1979
JP	D1306289	6/2007

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5