



US00D960742S

(12) **United States Design Patent** (10) **Patent No.:** **US D960,742 S**
Okoli et al. (45) **Date of Patent:** **** Aug. 16, 2022**

(54) **SENSOR**

(71) Applicant: **ABL IP Holding LLC**, Atlanta, GA
(US)

(72) Inventors: **Chukwunonso Nzubechukwu Okoli**,
Decatur, GA (US); **John Richard**
Johnson, Flowery Branch, GA (US);
Doyle Scott Butler, Decatur, GA (US);
John Peter Roquemore, III, Suwanee,
GA (US)

(73) Assignee: **ABL IP Holding LLC**, Atlanta, GA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/735,160**

(22) Filed: **May 19, 2020**

(51) **LOC (13) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/106.6; D10/46**

(58) **Field of Classification Search**
USPC D10/46, 50, 52, 60, 70, 103, 104.1,
D10/106.2, 106.6, 121; D14/216, 218;
D16/203; D24/169; D26/72, 89, 118
CPC G08C 23/04; G01V 8/10; G05B 11/01;
G08B 29/18; G08B 13/191
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D183,164 S * 7/1958 Dreyfuss D10/57
D190,050 S * 4/1961 Duncan D10/51
D208,814 S * 10/1967 Smith D10/50
D468,654 S * 1/2003 Wunsch D10/104.1
D471,825 S * 3/2003 Peabody D10/50
D503,631 S * 4/2005 Peabody D10/50
D581,081 S * 11/2008 Mier-Langner D26/72
D603,284 S * 11/2009 Sloan D10/106.6
D639,488 S * 6/2011 Yoshida D26/89

D654,209 S * 2/2012 Yoshida D26/89
D666,350 S * 8/2012 Lee D26/89
D677,297 S * 3/2013 Bart D16/203
D678,097 S * 3/2013 Elwell D10/106.6

(Continued)

FOREIGN PATENT DOCUMENTS

CN 107134634 9/2017
CN 207249138 4/2018

OTHER PUBLICATIONS

“Passive Infrared Ceiling Sensors”, Legrand, Available online at:
www.legrand.us/wattstopper, Nov. 2017, 2 pages.

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Lillian Windham

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend &
Stockton LLP


(57) **CLAIM**

The ornamental design for a sensor, as shown and described.

DESCRIPTION

FIG. 1 is a bottom isometric view of the sensor.
FIG. 2 is a top isometric view of the sensor of FIG. 1.
FIG. 3 is a front elevation view of the sensor of FIG. 1.
FIG. 4 is a right side elevation view of the sensor of FIG. 1.
FIG. 5 is a rear elevation view of the sensor of FIG. 1.
FIG. 6 is left side elevation view of the sensor of FIG. 1.
FIG. 7 is a top plan view of the sensor of FIG. 1; and,
FIG. 8 is a bottom plan view of the sensor of FIG. 1.
The evenly dotted broken lines in the drawings illustrate
unclaimed features of the sensor and form no part of the
claimed design. The dash-dot-dot-dash broken lines in the
drawings represent borders of unclaimed portions of the
design and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D682,131 S * 5/2013 Bhate D10/106.6
D683,636 S * 6/2013 Levanen D10/70
D691,763 S * 10/2013 Hand D26/89
D705,978 S * 5/2014 Rhodes D26/89
8,731,689 B2 * 5/2014 Platner H05B 47/13
700/22
D706,152 S * 6/2014 Ni D10/106.6
D729,859 S * 5/2015 Shin D16/203
D751,246 S * 3/2016 Yao D26/118
D752,674 S * 3/2016 Katori D16/203
D757,587 S * 5/2016 Li D10/106.6
D764,320 S * 8/2016 Li D10/50
D773,947 S * 12/2016 Scarcella G01V 8/10
D10/104.1
D783,883 S * 4/2017 Cortez D26/89
D796,355 S * 9/2017 Cho F21V 17/16
D10/70
9,784,422 B2 * 10/2017 Zhang F21V 17/16
D820,238 S * 6/2018 Boshernitzan D14/218
D828,429 S * 9/2018 Moon D16/218
D829,690 S * 10/2018 Chen D14/216
D848,398 S * 5/2019 Huang D14/216
10,282,978 B2 * 5/2019 Cash G01V 8/10
RE47,511 E 7/2019 Blakeley et al.
D853,611 S * 7/2019 McRoberts D26/59
D866,518 S * 11/2019 Ding D14/216
D867,652 S * 11/2019 Sekowski D26/118
D875,079 S * 2/2020 Luo D14/216

D878,446 S * 3/2020 Taylor D16/203
D883,329 S * 5/2020 Shi D14/496
D887,621 S * 6/2020 Wu D26/89
D888,307 S * 6/2020 Holmes D26/59
D895,465 S * 9/2020 Loew D10/106.6
D898,973 S * 10/2020 Dahlen D26/72
D903,125 S * 11/2020 Burns D24/186
D903,877 S * 12/2020 Pace A61B 5/150503
D24/186
D908,263 S * 1/2021 Gregory D26/72
D922,225 S * 6/2021 Densham D10/70
D923,072 S * 6/2021 Persson D16/203
D923,495 S * 6/2021 Densham D10/70
D924,406 S * 7/2021 Yee D24/169
D930,493 S * 9/2021 Katzenelson G08B 29/04
D10/106.6
D941,174 S * 1/2022 Siminoff D10/106.3
11,226,083 B2 * 1/2022 Vernier F21V 21/14
2010/0052574 A1 * 3/2010 Blakeley G08B 29/181
315/307
2018/0130339 A1 * 5/2018 Dziwirek G08B 29/04
2021/0135344 A1 5/2021 O'Driscoll et al.

OTHER PUBLICATIONS

“Radio Powr Savr Wireless Occupancy / Vacancy Ceiling Sensor”,
Lutron, Radio Powr Savr, Nov. 12, 2018, 6 pages.
U.S. Appl. No. 16/940,670, Notice of Allowance, dated Oct. 8,
2021, 8 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8