



US00D960755S

(12) **United States Design Patent** (10) **Patent No.:** **US D960,755 S**
von Badinski (45) **Date of Patent:** **** Aug. 16, 2022**

(54) **EXPANDABLE RING**

(71) Applicant: **Proxy, Inc.**, San Francisco, CA (US)

(72) Inventor: **Curt C. von Badinski**, Valencia, CA (US)

(73) Assignee: **PROXY, INC.**, San Francisco, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/683,561**

(22) Filed: **Mar. 14, 2019**

(51) **LOC (13) Cl.** **11-01**

(52) **U.S. Cl.**
USPC **D11/26**

(58) **Field of Classification Search**
USPC D11/1–25, 26–39, 91, 92, 86; D14/344;
D24/167

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,221,514 A * 12/1965 Newman A44C 9/02
D11/27
5,136,858 A * 8/1992 Bruner A44C 5/2042
63/7

(Continued)

OTHER PUBLICATIONS

[Online <https://www.pcmag.com/news/if-you-like-fitness-motiv-wants-you-to-put-a-ring-on-it>. Posted Jan. 4, 2017. Retrieved Mar. 26, 2022.*

(Continued)

Primary Examiner — Melanie Pellegrini

(57) **CLAIM**

The ornamental design for an expandable ring, as shown and described herein.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of the expandable ring, in unexpanded condition, showing my new design;

FIG. 2 is a front view thereof, in partially expanded condition;

FIG. 3 is a front view thereof, in partially expanded condition;

FIG. 4 is a front view thereof, in fully expanded condition;

FIG. 5 is a front top right perspective view thereof, in unexpanded condition;

FIG. 6 is a front top right perspective view thereof, in partially expanded condition;

FIG. 7 is a front top right perspective view thereof, in partially expanded condition;

FIG. 8 is a back top left perspective view thereof, in unexpanded condition;

FIG. 9 is a top view thereof, in unexpanded condition;

FIG. 10 is a bottom view thereof, in unexpanded condition;

FIG. 11 is a right/left view thereof, in unexpanded condition;

FIG. 12 is a bottom front perspective view thereof, in unexpanded condition;

FIG. 13 is a top front perspective view thereof, in fully expanded condition;

FIG. 14 is a bottom front perspective view thereof, in fully expanded condition;

FIG. 15 is a front view of a second embodiment of the expandable ring, in unexpanded condition;

FIG. 16 is a front view thereof, in partially expanded condition;

FIG. 17 is a front view thereof, in partially expanded condition;

FIG. 18 is a front view thereof, in fully expanded condition;

FIG. 19 is a front top right perspective view thereof, in unexpanded condition;

FIG. 20 is a front top right perspective view thereof, in partially expanded condition;

FIG. 21 is a front top right perspective view thereof, in partially expanded condition;

FIG. 22 is a back top left perspective view thereof, in unexpanded condition;

FIG. 23 is a top view thereof, in unexpanded condition;

FIG. 24 is a bottom view thereof, in unexpanded condition;

FIG. 25 is a right/left view thereof, in unexpanded condition;

FIG. 26 is a bottom front perspective view thereof, in unexpanded condition;

(Continued)




FIG. 27 is a top front perspective view thereof, in fully expanded condition;
 FIG. 28 is a bottom front perspective view thereof, in fully expanded condition;
 FIG. 29 is a front view of a third embodiment of the expandable ring, in unexpanded condition;
 FIG. 30 is a front view thereof, in partially expanded condition;
 FIG. 31 is a front view thereof, in partially expanded condition;
 FIG. 32 is a front view thereof, in fully expanded condition;
 FIG. 33 is a front top right perspective view thereof, in unexpanded condition;
 FIG. 34 is a front top right perspective view thereof, in partially expanded condition;
 FIG. 35 is a front top right perspective view thereof, in partially expanded condition;
 FIG. 36 is a back top left perspective view thereof, in unexpanded condition;
 FIG. 37 is a top view thereof, in unexpanded condition;
 FIG. 38 is a bottom view thereof, in unexpanded condition;
 FIG. 39 is a right/left view thereof, in unexpanded condition;
 FIG. 40 is a bottom front perspective view thereof, in unexpanded condition;
 FIG. 41 is a top front perspective view thereof, in fully expanded condition; and,
 FIG. 42 is a bottom front perspective view thereof, in fully expanded condition.

The broken lines shown in the drawings illustrate portions of the expandable ring that form no part of the claimed design.

1 Claim, 42 Drawing Sheets

(58) Field of Classification Search

CPC A44C 9/00; A44C 9/0007; A44C 9/0014; A44C 9/0023; A44C 9/003; A44C 9/0038; A44C 9/0046; A44C 9/0053; A44C 9/0061; A44C 9/0069; A44C 9/0076; A44C 9/0084; A44C 9/0092; A44C 9/02; A44C 17/0258; A44C 17/0266; A44C 17/0275; A44C 17/0283; A44C 17/02; A44C 17/0208; A44C 17/0216; A44C 17/0225; A44C 17/0233; A44C 17/0241; A44C 17/025; A44C

17/0288; A44C 17/0291; A44C 1/00; A44C 3/00

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D392,585	S *	3/1998	Kohl	D11/26
D488,086	S *	4/2004	Schubach	D11/26
D495,616	S *	9/2004	Fountoulakis	D11/26
D557,168	S *	12/2007	Brunet	D11/27
D703,069	S *	4/2014	Adams	D10/31
D721,609	S *	1/2015	Duddy	D11/3
D738,769	S *	9/2015	Tan	D11/3
D756,999	S *	5/2016	von Badinski	D14/344
D779,997	S *	2/2017	King	D11/4
D791,764	S *	7/2017	von Badinski	D14/344
D791,765	S *	7/2017	von Badinski	D14/344
D804,471	S *	12/2017	von Badinski	D14/344
D832,130	S *	10/2018	Bostic	D11/4
D884,502	S *	5/2020	Kivela	D10/70
D909,230	S *	2/2021	Pounder, III	D11/5
D928,780	S *	8/2021	Tham	D14/344
2002/0069670	A1 *	6/2002	Rosenberg	A44C 9/02 63/15
2002/0178749	A1 *	12/2002	Katano	A44C 9/02 63/15.7
2003/0177787	A1 *	9/2003	Kuo	A44C 9/02 63/15.45
2004/0194504	A1 *	10/2004	Edwards	A44C 9/0038 63/15.2
2006/0048357	A1 *	3/2006	Alulis	A44C 9/0046 29/896.412
2014/0083135	A1 *	3/2014	Martinez	A44C 9/0038 63/15.8
2015/0220109	A1 *	8/2015	von Badinski	A61B 5/021 368/10
2019/0166962	A1 *	6/2019	Stephens	A44C 9/0038

OTHER PUBLICATIONS

[Online] <https://techcrunch.com/2021/10/26/ouras-gen-3-fitness-ring-arrives-with-improved-sensors-custom-content/>. Posted online Oct. 26, 2021. Retrieved Mar. 26, 2022.*
 McWhinney, Jeff; Jeff McWhinney Designs, "Radius outside/Comfort-Fit inside, Center-Pull, openable, hinged, adjustable ring"; Retrieved Mar. 13, 2019 at <https://mcwhinneydesigns.com/collections/shop/products/cp-5>; 2 pages.

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19




Figure 20




Figure 21




Figure 22




Figure 23




Figure 24




Figure 25




Figure 26




Figure 27




Figure 28




Figure 29




Figure 30




Figure 31




Figure 32




Figure 33




Figure 34




Figure 35




Figure 36




Figure 37




Figure 38




Figure 39




Figure 40




Figure 41




Figure 42