

US00D961022S

(12) **United States Design Patent** (10) **Patent No.:** **US D961,022 S**  
**Sasano** (45) **Date of Patent:** **\*\* Aug. 16, 2022**

(54) **VEST**  
(71) Applicant: **Kensui LLC**, Sheridan, WY (US)  
(72) Inventor: **Remy Sasano**, Osaka (JP)  
(73) Assignee: **Kensui LLC**, Sheridan, WY (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/737,948**  
(22) Filed: **Jun. 12, 2020**  
(51) **LOC (13) Cl.** ..... **21-02**  
(52) **U.S. Cl.**  
USPC ..... **D21/683; D29/101.4**  
(58) **Field of Classification Search**  
USPC ..... D29/100, 101.1, 101.2, 101.3, 101.4,  
D29/101.5; D21/683; D2/829  
CPC . A63B 21/00; A63B 21/065; A63B 21/00065;  
A63B 21/4007; A63B 21/4009; A63B  
23/0405; A41D 1/04; A41D 13/0015;  
F41H 5/0478  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D278,840 S \* 5/1985 Winston ..... D2/829  
4,676,502 A \* 6/1987 Mahr ..... A63B 21/065  
482/105  
D293,354 S 12/1987 Nelson  
4,944,509 A \* 7/1990 Snider ..... A63B 21/065  
482/105  
4,948,122 A \* 8/1990 Andrews, Sr. .... A63B 21/065  
482/105  
5,042,796 A \* 8/1991 Jibril ..... A63B 23/12  
482/105  
D326,492 S 5/1992 Leibowitz  
5,167,600 A \* 12/1992 Baird ..... A63B 21/065  
482/100  
D340,794 S \* 11/1993 Winston ..... D21/683

5,547,445 A \* 8/1996 Chang ..... A63B 21/065  
482/105  
D409,697 S \* 5/1999 Ott ..... D21/683  
6,675,391 B2 1/2004 Morrison  
7,326,154 B2 2/2008 Foley  
7,490,361 B1 \* 2/2009 Floyd ..... A41D 13/0512  
2/94  
D645,209 S \* 9/2011 Lin ..... D29/101.4  
8,795,142 B2 \* 8/2014 McClellan ..... A63B 21/00072  
482/105  
9,186,538 B1 \* 11/2015 Seen ..... A63B 21/072  
D794,948 S \* 8/2017 Wright ..... D3/217  
D797,868 S 9/2017 Carlton  
D803,957 S \* 11/2017 Stocking, Sr. .... D21/683  
D842,400 S 3/2019 Ross  
10,286,249 B1 \* 5/2019 Sibhatu ..... A63B 21/065  
10,610,730 B2 \* 4/2020 Andersen ..... A63B 21/4039  
(Continued)



*Primary Examiner* — Kimberly Barnes  
(74) *Attorney, Agent, or Firm* — Michael D. Eisenberg

(57) **CLAIM**  
The ornamental design for a vest, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a vest showing my new design;  
FIG. 2 is a right side view of the vest;  
FIG. 3 is a top view of the vest;  
FIG. 4 is a front view of the vest;  
FIG. 5 is a rear side view of the vest;  
FIG. 6 is a left view of the vest;  
FIG. 7 is a bottom view of the vest; and,  
FIG. 8 is a perspective view of the vest with a nut.  
The broken lines in FIGS. 1 and 8 depicting a person represent environmental subject matter that forms no part of the claimed design. The broken lines of FIG. 8 depicting a nut represents portions of the vest that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

10,799,751 B2 \* 10/2020 Kelly ..... A63B 21/065  
D940,798 S \* 1/2022 Coughlan ..... A63B 21/065  
D21/683  
2011/0183819 A1 \* 7/2011 Pharoe ..... A63B 21/0552  
482/105  
2012/0151656 A1 6/2012 Irwin  
2013/0190144 A1 7/2013 Ross  
2016/0033235 A1 2/2016 Kinnings  
2018/0283827 A1 10/2018 't Hart et al.  
2020/0345084 A1 \* 11/2020 Sasano ..... A41D 13/0015

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3





FIG. 4

FIG. 5






FIG. 6




FIG. 7




FIG. 8