



US00D961031S

(12) **United States Design Patent**  
**Phelan, Jr.**

(10) **Patent No.:** **US D961,031 S**  
(45) **Date of Patent:** **\*\* Aug. 16, 2022**

(54) **GRIP FOR BASEBALL BAT**

**DESCRIPTION**

(71) Applicant: **ProXR, LLC**, Kirkwood, MO (US)  
(72) Inventor: **Gerald Leo Phelan, Jr.**, St. Louis, MO (US)  
(73) Assignee: **PROXR, LLC**, Kirkwood, MO (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/762,039**  
(22) Filed: **Dec. 14, 2020**  
(51) **LOC (13) Cl.** ..... **21-02**  
(52) **U.S. Cl.**  
USPC ..... **D21/756; D21/725**  
(58) **Field of Classification Search**  
USPC ..... **D21/722, 725, 727, 756-759**  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D178,866 S 10/1956 Cole  
3,554,545 A 1/1971 Mann et al.  
(Continued)

**FOREIGN PATENT DOCUMENTS**

WO WO-2007019566 A1 \* 2/2007 ..... A63B 59/50

**OTHER PUBLICATIONS**

Baseball bat handle google search; google.com; Apr. 14, 2022.\*  
(Continued)

*Primary Examiner* — Mitchell I. Siegel  
(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for a grip for baseball bat, as shown and described.

FIG. 1 is a right, top perspective view of a grip for baseball bat showing a first embodiment of the new design;  
FIG. 2 is a right, bottom perspective view of the new design shown in FIG. 1;  
FIG. 3 is a front view of the new design shown in FIG. 1;  
FIG. 4 is a rear view of the new design shown in FIG. 1;  
FIG. 5 is a left side view of the new design shown in FIG. 1;  
FIG. 6 is a right side view of the new design shown in FIG. 1;  
FIG. 7 is a top view of the new design shown in FIG. 1;  
FIG. 8 is a bottom view of the new design shown in FIG. 1;  
FIG. 9 a right, top perspective view of the new design shown in FIG. 1, with the remainder of a baseball bat illustrated in broken lines;  
FIG. 10 is a right side view of the new design shown in FIG. 1, identical to FIG. 6, but including a section line 11-11;  
FIG. 11 is a cross-section view taken along lines 11-11 of FIG. 10;  
FIG. 12 is a right side view of the new design shown in FIG. 1, identical to FIG. 6, but including a section line 13-13;  
FIG. 13 is a cross-section view taken along lines 13-13 of FIG. 12;  
FIG. 14 is a right side view of the new design shown in FIG. 1, identical to FIG. 6, but including a section line 15-15;  
FIG. 15 is a cross-section view taken along lines 15-15 of FIG. 14;  
FIG. 16 is a right side view of the new design shown in FIG. 1, identical to FIG. 6, but including a section line 17-17;  
FIG. 17 is a cross-section view taken along lines 17-17 of FIG. 16;  
FIG. 18 is a right side view of the new design shown in FIG. 1, identical to FIG. 6, but including a section line 19-19;  
FIG. 19 is a cross-section view taken along lines 19-19 of FIG. 18;  
FIG. 20 is a right, top perspective view of a grip for baseball bat showing a second embodiment of the new design;  
FIG. 21 is a right, bottom perspective view of the new design shown in FIG. 20;  
FIG. 22 is a front view of the new design shown in FIG. 20;  
FIG. 23 is a rear view of the new design shown in FIG. 20;

(Continued)




FIG. 24 is a left side view of the new design shown in FIG. 20;  
 FIG. 25 is a right side view of the new design shown in FIG. 20;  
 FIG. 26 is a top view of the new design shown in FIG. 20;  
 FIG. 27 is a bottom view of the new design shown in FIG. 20;  
 FIG. 28 is a right, top perspective view of a grip for baseball bat showing a third embodiment of the new design;  
 FIG. 29 is a right, bottom perspective view of the new design shown in FIG. 28;  
 FIG. 30 is a front view of the new design shown in FIG. 28;  
 FIG. 31 is a rear view of the new design shown in FIG. 28;  
 FIG. 32 is a left side view of the new design shown in FIG. 28;  
 FIG. 33 is a right side view of the new design shown in FIG. 28;  
 FIG. 34 is a top view of the new design shown in FIG. 28; and,  
 FIG. 35 is a bottom view of the new design shown in FIG. 28.  
 The broken lines in the drawings depict environment, or portions, of the grip for baseball bat that form no part of the claimed design.

**1 Claim, 35 Drawing Sheets**

(58) **Field of Classification Search**

CPC ..... A63B 60/06-34; A63B 59/60-80; A63B 60/00; A63B 60/46; A63B 49/00-14; A63B 53/14; A63B 59/00; A63B 59/50-58; A63B 2102/00; A63B 2102/10; A63B 2102/12; A63B 2102/26; A63B 2102/28; A63B 2102/30; A63B 2102/38  
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,905,598 A 9/1975 Ballog  
 4,331,330 A 5/1982 Worst

D273,759 S \* 5/1984 Drori ..... D8/75  
 5,482,072 A 1/1996 Cimino  
 D444,834 S \* 7/2001 Tucker, Sr. .... D21/753  
 D445,472 S \* 7/2001 Tucker, Sr. .... D21/753  
 7,744,497 B2 \* 6/2010 Phelan, Jr. .... A63B 60/06  
 473/568  
 7,867,114 B2 1/2011 Sutherland et al.  
 7,878,930 B2 \* 2/2011 Leinert ..... A63B 59/51  
 473/568  
 8,066,594 B2 \* 11/2011 Leinert ..... A63B 60/10  
 473/568  
 8,323,131 B2 \* 12/2012 Leinert ..... A63B 60/08  
 473/568  
 D702,781 S 4/2014 Paxson  
 8,801,551 B2 \* 8/2014 Leinert ..... A63B 59/52  
 473/568  
 8,845,462 B2 \* 9/2014 Chung ..... A63B 59/50  
 422/422  
 D735,286 S \* 7/2015 Luden ..... D21/756  
 9,101,810 B2 8/2015 Carlson et al.  
 D761,925 S \* 7/2016 Phelan, Jr. .... D21/753  
 9,498,690 B2 11/2016 Carlson et al.  
 9,526,960 B2 \* 12/2016 Leinert ..... A63B 60/08  
 D823,409 S \* 7/2018 Williams ..... D21/756  
 D849,163 S \* 5/2019 Yarborough ..... D21/753  
 10,456,639 B2 \* 10/2019 Leinert ..... A63B 60/12  
 D872,202 S \* 1/2020 Lancisi ..... D21/753  
 10,898,772 B2 \* 1/2021 Phelan, Jr. .... A63B 60/14  
 D930,094 S \* 9/2021 Oakes ..... D21/725  
 11,253,761 B2 \* 2/2022 Phelan, Jr. .... A63B 59/70  
 2011/0039642 A1 \* 2/2011 Phelan, Jr. .... A63B 60/12  
 473/568  
 2017/0165548 A1 6/2017 Phelan, Jr.  
 2017/0182387 A1 6/2017 Phelan, Jr.  
 2019/0001203 A1 1/2019 Phelan, Jr.  
 2019/0046851 A1 \* 2/2019 Phelan, Jr. .... A63B 59/70  
 2021/0128999 A1 \* 5/2021 Phelan, Jr. .... A63B 60/14

OTHER PUBLICATIONS

Axe Origin T-Ball Bat 2020 (-11), downloaded from the Internet at: <<https://www.dickssportinggoods.com/p/axe-origin-t-ball-bat-2020-11-19axeyxrgntbll201kbt/19axeyxrgntbll201kbt>>(publication date: Feb. 21, 2020).  
 Japanese Design Patent Registration No. 2021-015165, Notice of Reasons for Rejection, issued Mar. 22, 2022.  
 Design U.S. Appl. No. 29/754,228, filed Oct. 8, 2020.

\* cited by examiner




FIG.1




FIG.2




FIG. 3




FIG.4




FIG.5




FIG.6






FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14






FIG.15




FIG. 16





FIG.17






FIG.19




FIG.20




FIG.21




FIG.22






FIG.23




FIG.24




FIG.25




FIG.26




FIG.27




FIG.28




FIG.29



FIG. 30





FIG.31




FIG.32




FIG.33




FIG.34




FIG.35