



US00D961374S

(12) **United States Design Patent**
Comalander

(10) **Patent No.:** **US D961,374 S**

(45) **Date of Patent:** **** Aug. 23, 2022**

(54) **INSERT FOR A SADDLE FOR A PIPE SUPPORT SYSTEM**

(71) Applicant: **Comalander Fabrication and Services, LLC**, Beaumont, TX (US)

(72) Inventor: **Christopher R. Comalander**, Beaumont, TX (US)

(73) Assignee: **Comalander Fabrication and Services, LLC**, Beaumont, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/695,326**

(22) Filed: **Jun. 18, 2019**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/692,221, filed on May 23, 2019, and a continuation-in-part of application No. 29/692,204, filed on May 23, 2019.

(51) **LOC (13) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/387**; D8/394; D8/383

(58) **Field of Classification Search**
USPC D8/394, 396, 349, 354, 383, 387

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,310,434 A * 2/1943 Hyman F16L 3/04
248/71
2,681,196 A * 6/1954 Lind F16L 3/04
248/71

(Continued)

FOREIGN PATENT DOCUMENTS

CA 134054 * 10/2011

OTHER PUBLICATIONS

Drain Saddle 1/4" Push-in-naval bronze , first available N/A, freshwatersystem.com, [site visited Nov. 19, 2021], Available from internet URL: https://www.freshwatersystems.com/products/drain-saddle-1-4-push-in?variant=13250146238507&c1=GAW_SE_NW&source=PLA_USA_SS&cr2=shopping (Year: NA).*

(Continued)

Primary Examiner — Omeed Agilee

Assistant Examiner — Rozita Mozaffarian

(74) *Attorney, Agent, or Firm* — Peter L. Brewer; Thrive IP

(57) **CLAIM**

The ornamental design for an insert for a saddle for a pipe support system, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of an insert for a saddle for a pipe support system, showing my new design in a first embodiment.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a rear elevation view thereof.

FIG. 4 is a right side elevation view thereof.

FIG. 5 is a left side elevation view thereof.

FIG. 6 is a top plan view thereof.

FIG. 7 is a bottom view thereof.

FIG. 8 is a second perspective view thereof, in which the insert has been placed upon a saddle for a pipe support system.

FIG. 9 is a perspective view of an insert for a saddle for a pipe support system, showing my new design in a second embodiment.

FIG. 10 is a front elevation view thereof.

FIG. 11 is a rear elevation view thereof.



FIG. 12 is a right side elevation view thereof.

FIG. 13 is a left side elevation view of thereof.

FIG. 14 is a top plan view thereof; and,

FIG. 15 is a bottom view thereof.

(Continued)



The broken lines in the drawings depict the environment of the claim and form no part of the claim.

1 Claim, 7 Drawing Sheets

(58) Field of Classification Search

CPC ... F16L 1/0246; F16L 3/18; F16L 3/16; F16L 3/1091; F16L 55/07; F16B 2/065; F16B 5/065; F16B 35/005; F16B 5/0628; F16B 21/16

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|------------------|---------------------|
| 4,789,189 | A | 12/1988 | Robertson | |
| 7,090,173 | B2 * | 8/2006 | Lussier | F16L 3/11 248/58 |
| 7,497,405 | B2 | 3/2009 | Huo | |
| D634,817 | S * | 3/2011 | Madara | D23/262 |
| D649,267 | S * | 11/2011 | Apgood, II | D25/138 |
| D651,290 | S * | 12/2011 | Shah | D23/262 |
| D684,034 | S * | 6/2013 | Vaughan | D8/354 |
| 8,807,492 | B2 | 8/2014 | Lake | |
| 9,046,197 | B2 | 6/2015 | Cousineau | |
| D742,213 | S * | 11/2015 | Sasanecki | D8/396 |
| D756,212 | S * | 5/2016 | Wilk, Jr. | D8/396 |

| | | | | |
|--------------|------|---------|---------------------|------------------------|
| 9,458,951 | B2 | 10/2016 | Haynes et al. | |
| D805,888 | S * | 12/2017 | De Los Santos | D8/396 |
| 10,221,968 | B2 | 3/2019 | Haynes et al. | |
| 10,274,111 | B2 | 4/2019 | Breda | |
| 10,501,189 | B2 * | 12/2019 | Malligere | F16B 2/10 |
| D892,596 | S * | 8/2020 | Farnworth | D8/354 |
| 2005/0242585 | A1 * | 11/2005 | Dole | F16L 21/065 285/367 |
| 2017/0276261 | A1 * | 9/2017 | Hargrave | F16L 55/041 |
| 2018/0335165 | A1 * | 11/2018 | Anderson | F16L 3/1075 |
| 2020/0318760 | A1 * | 10/2020 | Comalander | F16L 1/0246 |
| 2020/0347963 | A1 * | 11/2020 | Ohnemus | F16L 3/1091 |

OTHER PUBLICATIONS

Screen Shot of Pipe Saddles & Coverings; Accessed May 2019; Date of publication unknown; <https://pipingtech.com/products/pipe-supports-hangers/pipe-saddles-coverings/>; p. 5.

Screen Shot of Pipe Insulation Protection Shield; Accessed May 2019; Date of publication unknown; <https://pipingtech.com/products/pipe-supports-hangers/pipe-saddles-coverings/#spec-jump>; p. 5.

Screen Shot of Pipe Hangers & Supports: Pipe Saddles & Stanchions; Accessed May 2019; Date of publication unknown; <https://taylorpipesupports.ca/products/pipe-hangers-supports/pipe-saddles-stanchions.php>; p. 6.

Screen Shot of Pipe Saddles & Shields; Accessed May 2019; Date of publication unknown; <http://www.pipesupports.com/products/witch-commodity-hardware/3>; p. 6.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15