



US00D961428S

(12) **United States Design Patent**
Liu

(10) **Patent No.:** **US D961,428 S**

(45) **Date of Patent:** **** Aug. 23, 2022**

(54) **PEDOMETER**

G04B 37/1486; G06Q 10/00; G06Q 50/00; G09B 9/00; G09B 19/00; G04F 10/00

(71) Applicant: **Can Liu**, Hunan (CN)

See application file for complete search history.

(72) Inventor: **Can Liu**, Hunan (CN)

(**) Term: **15 Years**

(56) **References Cited**

(21) Appl. No.: **29/807,697**

U.S. PATENT DOCUMENTS

(22) Filed: **Sep. 14, 2021**

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/97**; D10/70; D10/78

(58) **Field of Classification Search**

USPC D10/70, 78, 97, 98

CPC A63B 24/00; A63B 2220/14; A63B 71/06;

A63B 26/00; A63B 24/0075; A63B

2071/0663; A63B 71/00; A63B 71/0686;

A63B 24/0062; A63B 24/0084; A63B

2024/0068; A63B 2024/0078; A63B

2024/0056; A63B 2071/0625; A63B

2071/003; A63B 2071/063; A63B

2071/065; A63B 2071/068; A63B

2071/0675; A63B 2220/40; A63B

2220/12; A63B 2220/803; A63B 2220/20;

A63B 2220/22; A63B 2220/30; A63B

2225/50; A63B 2225/02; A63B 2230/06;

A63B 2230/75; A63B 2024/0065; A63B

2024/0081; A63B 2220/51; A63B

2220/62; A63B 2220/836; Y10S 482/909;

Y10S 482/901; A41D 1/002; A44C

5/0015; A44C 5/102; A44C 5/14; A44C

5/02; A61B 19/44; A61B 2019/446; A61B

5/02416; A61B 5/1118; A61B 5/721;

A61B 5/002; A61B 5/112; A61B 5/1122;

A61B 5/746; A61B 5/6823; A61B 5/72;

A61B 5/7445; A61B 5/0022; A61B

5/14532; G01C 22/006; G09F 3/005;

G06F 1/163; G06F 3/038; G06F 3/03547;

G04G 17/00; G04G 17/08; G04G 17/04;

G04G 21/02; G04G 21/00; G04G 21/08;

D584,974 S * 1/2009 Fukuda D10/70

D635,873 S * 4/2011 Ogihara A61B 5/742

D10/70

D665,679 S * 8/2012 Shigeno A61B 5/1118

D10/70

D675,118 S * 1/2013 Shigeno D10/70

D693,708 S * 11/2013 Brigham D10/70

D700,083 S * 2/2014 Brigham D10/70

2013/0325358 A1 * 12/2013 Oshima A61B 5/1118

702/19

(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **CLAIM**

The ornamental design for a pedometer, as shown and described.

DESCRIPTION

FIG. 1 is a front, right, and top perspective view of a pedometer, showing my design.

FIG. 2 is a rear, left, and bottom perspective view thereof.

FIG. 3 is a front elevation view thereof.

FIG. 4 is a rear elevation view thereof.

FIG. 5 is a left side elevation view thereof.


FIG. 6 is a right side elevation view thereof.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines shown in the drawings are included for environmental structures that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0005575 A1* 1/2014 Ogawa A61B 5/742
600/595

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8