



US00D961431S

(12) **United States Design Patent** (10) **Patent No.:** **US D961,431 S**
Focke et al. (45) **Date of Patent:** **** Aug. 23, 2022**

(54) **FLOW CELL HOLDER**

(56) **References Cited**

(71) Applicants: **QIAGEN GMBH**, Hilden (DE);
HITACHI HIGH-TECH CORPORATION, Tokyo (JP)
(72) Inventors: **Maximilian Focke**, Hilden (DE);
Bernd Winkelhake, Wolfsburg (DE);
Hitoshi Miyata, Tokyo (JP)
(73) Assignees: **QIAGEN GMBH**, Hilden (DE);
HITACHI HIGH-TECH CORPORATION, Tokyo (JP)

U.S. PATENT DOCUMENTS

D28,309 S * 2/1898 Marks D10/103
2,247,008 A * 6/1941 Assmus G01N 21/293
356/414
D131,157 S * 1/1942 Drake et al. D10/103
2,864,279 A * 12/1958 Phifer G01N 21/03
356/244
3,280,857 A * 10/1966 Grave, Jr. G01N 21/03
141/37
3,286,583 A * 11/1966 Ferrari G01N 21/05
250/576
3,319,512 A * 5/1967 Isreeli G01N 21/253
422/65
3,501,242 A * 3/1970 Dolgen G01N 21/03
356/246
3,584,964 A * 6/1971 Nejame, Jr. G01N 21/05
73/61.41

(**) Term: **15 Years**

(21) Appl. No.: **29/729,706**

(22) Filed: **Mar. 30, 2020**

(30) **Foreign Application Priority Data**

Sep. 30, 2019 (EM) 006954350-0001

(51) **LOC (13) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/103**

(58) **Field of Classification Search**
USPC ... D10/46, 47, 75, 80, 81, 94, 96, 101, 103;
D13/101, 102, 118, 123, 158, 165, 166,
D13/173, 182, 184, 199
CPC G01N 21/03; G01N 21/05; G01N 21/0303;
G01N 21/031; G01N 21/01; G01N
21/0307; G01N 30/74; G01N 2021/0339;
G01N 2021/058; G01N 2021/135; G01N
21/09; G01N 1/10; G01N 15/0806; G01N
23/20025; G01N 30/6047; G01N
2035/00801; G01N 2203/0447; G01N
2223/307; G01N 2223/309
See application file for complete search history.

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 2020/100659 5/2020

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Sheridan Ross PC


(57) **CLAIM**

The ornamental design for a flow cell holder, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a flow cell holder, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a side view thereof;
FIG. 5 is a back view thereof;
FIG. 6 is a top perspective view thereof; and,
FIG. 7 is a bottom perspective view thereof.
The broken lines shown in the drawings represent portions of the flow cell holder that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,684,386	A *	8/1972	Noll	G01N 21/05 359/232
3,692,416	A *	9/1972	Tarbet	G01N 21/03 356/244
4,566,791	A *	1/1986	Goldsmith	G01N 21/05 356/411
4,575,424	A *	3/1986	Allington	G01N 21/05 210/198.2
4,822,166	A *	4/1989	Rossiter	G01N 21/05 356/244
6,816,254	B2 *	11/2004	Pastwik	G01N 21/41 356/246
D814,325	S *	4/2018	Little, III	D10/96
D900,656	S *	11/2020	Krywyj	D10/96
D913,133	S *	3/2021	Brusseau	D10/103

* cited by examiner




FIG.1



FIG.2




FIG. 3



FIG.4



FIG.5




FIG.6




FIG.7