



US00D961499S

(12) **United States Design Patent**
Pettersson et al.

(10) **Patent No.:** **US D961,499 S**

(45) **Date of Patent:** **** Aug. 23, 2022**

(54) **BATTERY**

(71) Applicant: **Micropower Lionova AB**, Askim (SE)

(72) Inventors: **Erik Pettersson**, Ödsmål (SE);
Petronella Lunde, Födöse (SE); **Viktor Karlsson**, Gothenburg (SE)

(73) Assignee: **MICROPOWER GROUP AB**, Växjö (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/719,856**

(22) Filed: **Jan. 8, 2020**

(30) **Foreign Application Priority Data**

Jul. 11, 2019 (EM) 006622692

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**

USPC D13/102, 103, 104, 105, 106, 107, 108,
D13/110, 118, 119, 184, 199; D3/273,
D3/274, 302, 201, 264

CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 10/4257; H01M
10/0436; H01M 10/48; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M
2/0207; H01M 2/0212; H01M 2/1061;
H01M 2/1022; H01M 2/1055; H01M
2/1066; H01M 2/105; H01M 2/204;
H01M 2/04; H01M 2/0404; H01M
2/0406; H01M 2/0465; H01M 2/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D491,138 S * 6/2004 Minato D13/104
D517,987 S * 3/2006 Castagnola D13/103
D606,306 S * 12/2009 Monte D3/273

D719,088 S * 12/2014 Koebler D13/104
D795,181 S * 8/2017 Hahn D13/104
D807,817 S * 1/2018 Walker D13/103

(Continued)

FOREIGN PATENT DOCUMENTS

CN 305178825 * 5/2019
CN 305296473 * 8/2019

OTHER PUBLICATIONS

“CBRIX—Batena compacta de iones de litio”, first published Oct. 1, 2020. Micropower Group [<https://es.micropower-group.com/micropower-group/cbrix-bateria-compacta-de-iones-de-litio/>] (Year: 2020).*

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Seth David Kumpf

(74) *Attorney, Agent, or Firm* — Ballard Spahr LLP


(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of a battery showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top perspective view of a second embodiment of a battery showing our new design;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a left side elevational view thereof;
FIG. 10 is a right side elevational view thereof;
FIG. 11 is a top plan view thereof; and,
FIG. 12 is a bottom plan view thereof.
In the drawings, the broken lines depict environmental subject matter only and form no part of the claim.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D817,866 S	*	5/2018	Liu	D13/102
D830,965 S	*	10/2018	Varatharajah	D13/103
D836,064 S	*	12/2018	Liu	D13/102
D853,320 S	*	7/2019	Guo	D13/103
D869,388 S	*	12/2019	Varatharajah	D13/103
D870,033 S	*	12/2019	Varatharajah	D13/103

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12