



US00D961717S

(12) **United States Design Patent**
Chang et al.

(10) **Patent No.:** **US D961,717 S**

(45) **Date of Patent:** **** Aug. 23, 2022**

(54) **AGRICULTURAL DETECTION DEVICE**

(71) Applicant: **Quanta Computer Inc.**, Taoyuan (TW)

(72) Inventors: **Chia-Yuan Chang**, Taoyuan (TW);
Jung-Wen Chang, Taoyuan (TW);
Juan-Jung Li, Taoyuan (TW)

(73) Assignee: **QUANTA COMPUTER INC.**,
Taoyuan (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/750,133**

(22) Filed: **Sep. 11, 2020**

(30) **Foreign Application Priority Data**

Jun. 20, 2020 (TW) 109303343

(51) **LOC (13) Cl.** **22-06**

(52) **U.S. Cl.**
USPC **D22/122**

(58) **Field of Classification Search**
USPC D10/46; D22/119, 122, 123, 124
CPC A01M 1/00; A01M 19/00; A01M 23/38;
A01M 23/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D354,690 S * 1/1995 Butler D10/46

* cited by examiner

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — McClure, Qualey &
Rodack, LLP

(57) **CLAIM**

The ornamental design for a agricultural detection device, as shown and described.

DESCRIPTION

FIG. 1 is a front, left, top perspective view of a agricultural detection device, showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a rear, left, top perspective view thereof.

Bugs may enter the device via the holes formed on the device, and the device is able to detect how many bugs are trapped. The invention is particularly useful to trap bugs that may otherwise cause damage to agricultural products

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8