



US00D961947S

(12) **United States Design Patent**
Gelderen

(10) **Patent No.:** **US D961,947 S**

(45) **Date of Patent:** **** Aug. 30, 2022**

(54) **CHILD SAFETY SEAT**

D851,949 S 6/2019 Imrich
D855,335 S * 8/2019 Lin D6/333
D859,858 S 9/2019 Imrich
(Continued)

(71) Applicant: **Wonderland Switzerland AG,**
Steinhausen (CH)

(72) Inventor: **Martijn Hans Van Gelderen,**
Leiderdorp (NL)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Wonderland Switzerland AG,**
Steinhausen (CH)

CN 305797200 S 5/2020
JP 1653900 3/2020
KR 30-0823282 11/2015

(**) Term: **15 Years**

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Winston Hsu

(21) Appl. No.: **29/779,514**

(22) Filed: **Apr. 20, 2021**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a child safety seat, as shown and described.

Oct. 21, 2020 (CN) 202030628525.6

(51) **LOC (13) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/333**

(58) **Field of Classification Search**

USPC D6/333-336, 339, 344, 702, 716,
D6/716.1-716.7; 297/183.1-183.4,
297/184.13, 184.15, 184.17, 250.1, 255,
297/256.1, 256.15, 219.12, 463.1;
D12/129-130, 133; D21/412, 428, 419;
280/30-31; 5/94, 98.1, 99.1, 101-102,
5/105, 655, 93.1, 12.1; 24/200
CPC A47D 13/02; A47D 13/10; A47D 1/00;
A47D 1/002; A47D 1/004; B60N 2/22;
B60N 2/24; A47C 7/021; A47C 7/022;
A47C 7/002; A47C 7/18; A47C 7/24;
A47C 3/00; A47C 3/02; A47C 3/025;
A47C 3/20; A47C 1/00; A47C 1/02;
A47C 1/04; A47C 1/06

See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D797,465 S 9/2017 Pos
D816,356 S * 5/2018 Lin D6/333

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of a child safety seat, showing my new design;
FIG. 2 is a top, front, right side perspective view thereof;
FIG. 3 is a front perspective view thereof;
FIG. 4 is a rear perspective view thereof;
FIG. 5 is a left side perspective view thereof;
FIG. 6 is a right side perspective view thereof;
FIG. 7 is a top perspective view thereof;
FIG. 8 is a bottom perspective view thereof;
FIG. 9 is a top, front, right side perspective view of the child safety seat of FIG. 1, shown in a condition of use with the side protector; and,
FIG. 10 is a top, front, left side perspective view of the child safety seat of FIG. 1, shown in a condition of use with the side protector.
The broken lines in the drawings depict portions of the child safety seat that form no part of the claimed design. The broken lines showing the side protector in FIGS. 9 and 10 depict environmental subject matter that forms no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D876,111 S * 2/2020 Imrich D6/333
D928,519 S * 8/2021 Fu D6/333

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10