



US00D962209S

(12) **United States Design Patent** (10) **Patent No.:** **US D962,209 S**  
**Li** (45) **Date of Patent:** **\*\* Aug. 30, 2022**

(54) **RFID TAG**

(71) Applicant: **XERAFY INC.**, Wilmington, DE (US)

(72) Inventor: **Shujuan Li**, Shanghai (CN)

(73) Assignee: **XERAFY INC.**, Wilmington, DE (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/512,081**

(22) Filed: **Jun. 9, 2021**

(80) **Hague Agreement Data**

Int. Filing Date: **Jun. 9, 2021**

Int. Reg. No.: **DM/214762**

Int. Reg. Date: **Jun. 9, 2021**

Int. Reg. Pub. Date: **Jun. 25, 2021**

(51) **LOC (13) Cl.** ..... **14-03**

(52) **U.S. Cl.**

USPC ..... **D14/230**; D10/106.9

(58) **Field of Classification Search**

USPC ..... D14/230, 232, 233, 234, 236, 435,  
D14/436-439; D20/11, 22, 23;

D10/104.2, 106.9, 106.91

CPC ..... A61N 1/16; A47C 31/004; H05K 9/00;  
H05K 9/0086

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D339,230 S \* 9/1993 Thompson ..... D3/209
- D346,126 S \* 4/1994 Hedrixx ..... D10/106.91
- D647,810 S \* 11/2011 Bohrer ..... D10/106.9
- D649,487 S \* 11/2011 Jarrett ..... D10/106.91
- D671,921 S \* 12/2012 Beall ..... D14/230
- D680,015 S \* 4/2013 Hauser ..... D10/106.9
- D680,520 S \* 4/2013 Mizzo ..... D14/230
- D709,397 S \* 7/2014 Ennabli ..... D10/106.9
- D713,825 S \* 9/2014 Witkowski ..... D14/230

- D818,384 S \* 5/2018 Barovic ..... D10/70
- D848,434 S \* 5/2019 Toyoda ..... D14/435
- 10,292,787 B2 \* 5/2019 Liu ..... G06K 19/07758
- D889,444 S \* 7/2020 Sakamoto ..... D14/230
- D901,461 S \* 11/2020 Petros ..... D14/230
- D902,761 S \* 11/2020 Patterson ..... D10/106.91
- D942,429 S \* 2/2022 Liu ..... D14/230
- 2016/0155043 A1 \* 6/2016 Liu ..... G06K 19/07749  
235/492
- 2020/0005110 A1 \* 1/2020 Forster ..... G06K 19/0725
- 2021/0295128 A1 \* 9/2021 Jelken ..... G06K 19/07794
- 2021/0295129 A1 \* 9/2021 Dong ..... G06K 19/07754
- 2021/0319277 A1 \* 10/2021 Ueki ..... G06K 19/07756

**OTHER PUBLICATIONS**

Ultra-rugged UHF RFID tag for metal—Xerafy Roswell, publica-  
tion date Mar. 31, 2014, [online] URL: [https://www.veryfields.net/  
ultra-rugged-uhf-rfid-tag-for-metal](https://www.veryfields.net/ultra-rugged-uhf-rfid-tag-for-metal) (Year: 2014).\*

PM tracking tags, publication date Jun. 26, 2014, [online] URL:  
[https://www.macrumors.com/2014/06/26/pom-bluetooth-gps-tracking-  
tags/](https://www.macrumors.com/2014/06/26/pom-bluetooth-gps-tracking-tags/) (Year: 2014).\*

\* cited by examiner

*Primary Examiner* — L. A. Grabenstetter


(57) **CLAIM**

The ornamental design for an RFID tag, as shown and  
described.


**DESCRIPTION**

- 1. RFID tag
- 1.1 : Front
- 1.2 : Back
- 1.3 : Left
- 1.4 : Right
- 1.5 : Top
- 1.6 : Bottom
- 1.7 : Front perspective
- 1.8 : Back perspective.


**1 Claim, 8 Drawing Sheets**




1.1




1.2




1.3




1.4




1.5



1.6



1.7





1.8

