



US00D962432S

(12) **United States Design Patent**  
**Wu et al.**

(10) **Patent No.:** **US D962,432 S**

(45) **Date of Patent:** **\*\* Aug. 30, 2022**

(54) **LOCATION CONTROL APPARATUS FOR BONE RESECTION**

(71) Applicant: **A Plus Biotechnology Company Limited**, New Taipei (TW)

(72) Inventors: **Kai-Hsing Wu**, Taipei (TW);  
**Hsiang-Wei Lo**, New Taipei (TW);  
**Kun-Jhih Lin**, Taichung (TW);  
**Ping-Sheng Yu**, Taipei (TW)

(73) Assignee: **A PLUS BIOTECHNOLOGY COMPANY LIMITED**, New Taipei (TW)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/655,213**

(22) Filed: **Jun. 30, 2018**

(30) **Foreign Application Priority Data**

Mar. 15, 2018 (TW) ..... 107301480

(51) **LOC (13) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/140**

(58) **Field of Classification Search**  
USPC ..... D24/133, 146, 147, 140  
CPC ..... A61B 17/15  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D314,247 S \* 1/1991 Amit ..... D24/133  
D612,049 S \* 3/2010 Baynham ..... D24/146

D760,894 S \* 7/2016 Cheney ..... D24/133  
D854,683 S \* 7/2019 Haadem ..... D24/133  
2006/0142870 A1 \* 6/2006 Robinson ..... A61B 17/142  
623/21.18  
2019/0282243 A1 \* 9/2019 Wu ..... A61B 17/157

\* cited by examiner

*Primary Examiner* — Eliza Z Harvey

(74) *Attorney, Agent, or Firm* — Lathrop GPM LLP


(57) **CLAIM**

The ornamental design for a location control apparatus for bone resection, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the location control apparatus for bone resection according to the present design; FIG. 2 is a bottom view of the location control apparatus for bone resection of FIG. 1; FIG. 3 is a top view of the location control apparatus for bone resection of FIG. 1; FIG. 4 is a left-side view of the location control apparatus for bone resection of FIG. 1; FIG. 5 is a right-side view of the location control apparatus for bone resection of FIG. 1; FIG. 6 is a back view of the location control apparatus for bone resection of FIG. 1; and, FIG. 7 is a front view of the location control apparatus for bone resection of FIG. 1.

**1 Claim, 5 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7