



US00D962810S

(12) **United States Design Patent** (10) **Patent No.:** **US D962,810 S**
Gregg (45) **Date of Patent:** **** Sep. 6, 2022**

(54) **ANNIVERSARY RING**

* cited by examiner

(71) Applicant: **Russell Bryan Gregg**, Newport, TN
(US)

Primary Examiner — Melanie Pellegrini
(74) *Attorney, Agent, or Firm* — Pitts & Lake, P.C.

(72) Inventor: **Russell Bryan Gregg**, Newport, TN
(US)

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/645,931**

I claim the ornamental design for an anniversary ring, as shown and described.

(22) Filed: **Apr. 30, 2018**

(51) **LOC (13) Cl.** **11-01**

DESCRIPTION

(52) **U.S. Cl.**

USPC **D11/34**

(58) **Field of Classification Search**

USPC D11/26–39, 91, 92, 86

CPC A44C 9/00; A44C 9/0007; A44C 9/0015;

A44C 9/0023; A44C 9/003; A44C

9/0038; A44C 9/0046; A44C 9/0053;

A44C 9/0061; A44C 9/0069; A44C

9/0076; A44C 9/0084; A44C 9/0092;

A44C 9/02; A44C 1/00; A44C 15/00;

A44C 15/003

See application file for complete search history.

FIG. 1 is a perspective view of the design of an anniversary ring;

FIG. 2 is a top end view of the anniversary ring of FIG. 1; and,

FIG. 3 is a side elevation view of the anniversary ring of FIG. 1.

The anniversary ring, as illustrated in the Figures of the Drawings, has a circular ring or band-like form, and consequently a high degree of symmetry. Thus, the top end view of FIG. 2 is a mirror image of a bottom end view. Likewise, any side elevation view of the anniversary ring, such as a right side elevation view or a left side elevation view, would be the same as the side elevation view shown in FIG. 3. For clarification, the design features illustrated on the inside diameter of the ring of FIG. 1 consist of twenty (20) blind apertures evenly spaced apart along the inner circumference of the ring. The design is configured for a total of 20 evenly spaced diamonds to be added to the outer diameter of the ring, one for each year anniversary for 20 years.

The features of the anniversary ring shown in broken lines on the outside diameter of the ring in FIG. 1 are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D133,210 S * 7/1942 Krasnow D11/34

D136,698 S * 11/1943 Saks D11/34

5,865,042 A * 2/1999 Cerqua A44C 9/003

63/1.11

D491,834 S * 6/2004 Flynn D11/26

D816,537 S * 5/2018 Chhor D11/26

D845,163 S * 4/2019 Weber D11/30


10,383,413 B1 * 8/2019 Tanguay A44C 9/02

10,646,009 B2 * 5/2020 Song C22C 29/08

2009/0071192 A1 * 3/2009 Bauman A44C 17/046

63/15

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3