



US00D963134S

(12) **United States Design Patent** (10) **Patent No.:** **US D963,134 S**
Bokach et al. (45) **Date of Patent:** **** Sep. 6, 2022**

(54) **COLOR TOILET SEAT ASSEMBLY**

DESCRIPTION

(71) Applicants: **Jennifer Bokach**, Muskegon, MI (US);
Mark Bokach, Muskegon, MI (US)

(72) Inventors: **Jennifer Bokach**, Muskegon, MI (US);
Mark Bokach, Muskegon, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/718,805**

(22) Filed: **Dec. 29, 2019**

(51) **LOC (13) Cl.** **23-02**

(52) **U.S. Cl.**
USPC **D23/309**

(58) **Field of Classification Search**
USPC D23/295, 300–301, 311–312
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D329,492 S * 9/1992 New D23/311
D423,655 S * 4/2000 Otte A47K 13/00
D23/311

(Continued)

OTHER PUBLICATIONS

Galactic Mood Ring Toilet Seat: https://www.etsy.com/listing/756317843/galactic-mood-ring-toilet-seat-diy-pdf?show_sold_out_detail=1&source=aw&utm_source=affiliate_window&utm_medium=affiliate&utm_campaign=us_location_buyer&utm_content=141392&awc=6220_1644941003_4a270dcde314a52f8be017bb8b850530&utm_term=0 (Year: 2020).*

Primary Examiner — Robert A Delehanty
(74) *Attorney, Agent, or Firm* — Jeanette M. Braun;
Braun IP Law, LLC

(57) **CLAIM**

The ornamental design for a color toilet seat assembly, as shown and described.

Color photographs have been submitted in this application. The color photographs are necessary as the only practical medium by which aspects of the claimed subject matter may be accurately conveyed. The claimed invention relates to the ornamental design of a color toilet seat. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a top perspective view of our new design for a color toilet seat assembly with lid open;

FIG. 2 is a top plan view of our design shown in FIG. 1 with lid closed;

FIG. 3 is a top plan view of our design shown in FIG. 1 with lid closed and in an alternate state of color;

FIG. 4 is a top plan view of our design shown in FIG. 1 with lid closed and in an alternate state of color;

FIG. 5 is a top plan view of our design shown in FIG. 1 with lid closed and in an alternate state of color;

FIG. 6 is a top plan view of our design shown in FIG. 1 with lid closed and in an alternate state of color;

FIG. 7 is a top plan view of our design shown in FIG. 1 with lid closed and in an alternate state of color;

FIG. 8 is a top plan view of our new design shown in FIG. 1 showing a seat portion of the toilet seat assembly in an alternate state of color;

FIG. 9 is a top plan view of our new design shown in FIG. 1 showing a seat portion of the toilet seat assembly in an alternate state of color;

FIG. 10 is a top plan view of our new design shown in FIG. 1 showing a seat portion of the toilet seat assembly in an alternate state of color;

FIG. 11 is a top plan view of our new design shown in FIG. 1 showing a seat portion of the toilet seat assembly in an alternate state of color;

FIG. 12 is a top plan view of our new design shown in FIG. 1 showing a seat portion of the toilet seat assembly in an alternate state of color;

FIG. 13 is a top plan view of our new design shown in FIG. 1 showing a seat portion of the toilet seat assembly in an alternate state of color;

(Continued)




FIG. 14 is a left side view of our design shown in FIG. 1 with lid open in an alternate state of color, where the right side is a mirror image thereof;

FIG. 15 is a left rear prospective view of our design shown in FIG. 1 with lid open in an alternate state of color, where the right side is a physical mirror image thereof;

FIG. 16 is a left side view of our design shown in FIG. 1 with lid closed in an alternate state of color, where the right side is a physical mirror image thereof;

FIG. 17 is a front plan view of our design shown in FIG. 1, showing an underside of a lid portion of the toilet seat assembly in an originating state of color; and,

FIG. 18 is a bottom plan view of our design shown in FIG. 1 of the bottom of the seat with the lid closed in an originating state of color.

1 Claim, 5 Drawing Sheets
(5 of 5 Drawing Sheet(s) Filed in Color)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,449,780 B1 *	9/2002	Merry	A47K 13/06
			4/235
RE38,191 E *	7/2003	Otte	A47K 13/00
			D23/311
D532,496 S *	11/2006	Bates	D23/311

* cited by examiner



FIG. 1

FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18

