



US00D963163S

(12) **United States Design Patent**
Harlev et al.

(10) **Patent No.:** **US D963,163 S**
(45) **Date of Patent:** **** Sep. 6, 2022**

- (54) **CATHETER TIP WITH OPENINGS**
- (71) Applicant: **Affera, Inc.**, Watertown, MA (US)
- (72) Inventors: **Doron Harlev**, Brookline, MA (US);
Andrew Miles Wallace, Needham, MA (US)
- (73) Assignee: **Affera, Inc.**, Newton, MA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/707,475**
- (22) Filed: **Sep. 27, 2019**

Related U.S. Application Data

- (63) Continuation of application No. 29/602,563, filed on May 2, 2017, now Pat. No. Des. 864,387.
- (51) **LOC (13) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/130**
- (58) **Field of Classification Search**
USPC D24/127-131, 112-114, 133, 186;
606/181, 185; 604/264, 523-528, 272,
604/187, 158, 164.01-164.11, 181, 184,
604/227; 600/101, 139, 143;
128/200.24, 207.14, 207.15
CPC A61M 25/00; A61M 39/00; A61M 27/00;
A61M 25/0043; A61M 25/0067; A61M
25/0097; A61F 2/958
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,985,733 A * 12/1934 Koester G01K 5/326
285/239
- 3,061,810 A * 10/1962 Boyd H01R 25/14
439/120

- 3,842,851 A * 10/1974 Pipitone A45D 44/18
132/311
- 3,856,024 A * 12/1974 Lamberti A24F 9/04
131/243
- 3,992,570 A * 11/1976 Beinhaur H02G 15/043
174/74 A
- 4,070,543 A * 1/1978 Thompson H02G 15/043
174/91
- 4,116,353 A * 9/1978 Schwabacher B65D 45/32
215/277
- 4,440,835 A * 4/1984 Vignaud H01M 4/8673
429/522
- 4,719,315 A * 1/1988 Gregorac H01R 9/05
174/79
- 4,874,169 A * 10/1989 Litchfield A63B 37/14
473/613
- 5,235,153 A * 8/1993 Woelfl B23K 26/0823
219/121.65
- 5,388,288 A * 2/1995 Fell, Sr. F16L 55/11
4/679
- 5,390,804 A * 2/1995 Beggins B65D 23/0885
220/737

(Continued)

Primary Examiner — David G Muller

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(57) **CLAIM**


The ornamental design for a catheter tip with openings, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a catheter tip with openings. FIG. 2 is a front view of the catheter tip of FIG. 1. FIG. 3 is a rear view of the catheter tip of FIG. 1. FIG. 4 is a side view of the catheter tip of FIG. 1; and, FIG. 5 is an enlarged, fragmentary perspective view of the catheter tip showing a fluid delivery element, along the area of detail in FIG. 1.

The broken lines in the figures show portions of the catheter tip that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,702,845 A * 12/1997 Kawakami H01M 4/134
 429/224
 D407,480 S 3/1999 Leiter et al.
 5,976,155 A * 11/1999 Foreman A61F 2/958
 606/194
 D440,360 S * 4/2001 Nylén D30/124
 D465,585 S * 11/2002 Venegas, Jr. D25/126
 6,527,800 B1 * 3/2003 McGuckin, Jr.
 A61B 17/12109
 623/1.19
 6,666,880 B1 * 12/2003 Chiu A61F 2/958
 606/194
 6,699,275 B1 * 3/2004 Knudson A61F 2/966
 623/1.12
 8,309,023 B2 * 11/2012 Ramzipoor A61F 2/958
 422/28
 8,333,734 B2 * 12/2012 Zohmann A61B 17/3401
 604/164.06
 D763,445 S * 8/2016 Ahluwalia D24/141
 9,452,047 B2 * 9/2016 Duffy A61F 2/2436
 D774,197 S * 12/2016 Shook D24/186
 9,901,470 B2 * 2/2018 Daly A61B 17/221
 10,137,015 B2 * 11/2018 Holzer A61F 2/958
 D843,608 S 3/2019 Schneider et al.
 10,238,513 B2 * 3/2019 Ta A61F 2/89
 10,398,825 B2 * 9/2019 Foucault A61M 5/178

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5