



US00D963171S

(12) **United States Design Patent** (10) **Patent No.:** **US D963,171 S**
Liebig (45) **Date of Patent:** **** Sep. 6, 2022**

(54) **PATIENT BOLSTER**
(71) Applicant: **Denise Liebig**, Oakley, CA (US)
(72) Inventor: **Denise Liebig**, Oakley, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/770,383**
(22) Filed: **Feb. 11, 2021**
(51) **LOC (13) Cl.** **24-02**
(52) **U.S. Cl.**
USPC **D24/183**
(58) **Field of Classification Search**
USPC D24/171, 183-184, 188, 190-191, 200,
D24/211, 215; D6/601, 604, 716, 716.1
CPC A47B 21/0314; A47B 21/0371; A61G
7/0755; A61G 13/125; A61G 7/001;
A61G 13/12; A61G 7/065; A61G 7/1036;
A47C 20/021; A47C 20/026; A47C
16/025
See application file for complete search history.

D385,143 S * 10/1997 Straub D6/333
D410,744 S * 6/1999 Banister D24/183
6,067,679 A 5/2000 Rice
6,536,057 B2 3/2003 Fennell
(Continued)

FOREIGN PATENT DOCUMENTS

GB 2274246 7/1994

OTHER PUBLICATIONS

Wedge Pillow for Sleeping After Surgery Bed Foam Wedges Body Positioners Leg Elevation Incline Bolster 30 Degree Medical Triangle Positioning Pillow for Elderly Pregnancy Side Sleeper. Online, published date unknown. Retrieved on Apr. 21, 2022 from URL: https://www.u-buy.com.ng/product/1HWNX7JZW-wedge-pillows-for-aft.*

Primary Examiner — Omeed Agilee

(57) **CLAIM**

The ornamental design for a patient bolster, as shown and described.

DESCRIPTION


FIG. 1 is a front view of a patient bolster showing my new design;
FIG. 2 is a rear view of the patient bolster;
FIG. 3 is a right side view of the patient bolster;
FIG. 4 is a left side view of the patient bolster;
FIG. 5 is a top view of the patient bolster;
FIG. 6 is a bottom view of the patient bolster; and,
FIG. 7 is a top front side perspective view of the patient bolster in use.
The dash lines in the drawings depict environmental subject matter and form no part of the claimed design. The dot-dash lines in the drawings depict symbolic break lines that form no part of the claimed design. Any portion of the article beyond the break lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,880,428 A * 4/1959 Forsland A47G 9/10
5/636
D218,888 S * 10/1970 Blank D6/601
4,214,326 A 7/1980 Spann
4,424,599 A * 1/1984 Hannouche A47G 9/1081
5/636
D285,608 S * 9/1986 Rauch D24/183
D288,632 S * 3/1987 Grimsrud D6/596
4,733,836 A * 3/1988 Barnes A47D 13/08
5/639
5,193,238 A 3/1993 Clute
5,228,655 A * 7/1993 Garcia A47B 21/0371
248/118
5,272,780 A 12/1993 Clute
D343,756 S * 2/1994 Sher D6/333
D347,422 S * 5/1994 Taslitz D14/461
5,530,974 A 7/1996 Rain
D378,615 S * 3/1997 Neviasser D29/100



(56)

References Cited

U.S. PATENT DOCUMENTS

D482,791	S	*	11/2003	Moses	D24/183
7,240,384	B2		7/2007	DuDonis	
D664,256	S	*	7/2012	Dennewald	D24/183
D680,654	S	*	4/2013	Borreli	D24/188
D781,429	S	*	3/2017	Westdyk	D24/190
10,064,770	B2		9/2018	Reiners	
D907,777	S	*	1/2021	Hahn	D24/190
D911,748	S	*	3/2021	Luo	D6/601
2021/0121347	A1	*	4/2021	Davis	A61G 7/05776
2022/0110809	A1	*	4/2022	Grindstaff	A61G 13/121

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7