



US00D963354S

(12) **United States Design Patent**  
**Gelderen**

(10) **Patent No.:** **US D963,354 S**

(45) **Date of Patent:** **\*\* Sep. 13, 2022**

(54) **CHILD SAFETY SEAT**

A47C 3/029; A47C 3/021; A47C 1/00;  
A47C 1/02; A47C 1/04; A47C 1/06

(71) Applicant: **Wonderland Switzerland AG,**  
Steinhausen (CH)

See application file for complete search history.

(72) Inventor: **Martijn Hans Van Gelderen,**  
Leiderdorp (NL)

(56) **References Cited**

(73) Assignee: **Wonderland Switzerland AG,**  
Steinhausen (CH)

U.S. PATENT DOCUMENTS

(\*\*) Term: **15 Years**

D796,855 S *	9/2017	Imrich	.....	D6/333
D797,465 S	9/2017	Pos		
D876,111 S *	2/2020	Imrich	.....	D6/333
D943,296 S *	2/2022	Mason	.....	D6/333
D953,757 S *	6/2022	Napier	.....	D6/333

(21) Appl. No.: **29/778,142**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Apr. 12, 2021**

CN	305647984 S	3/2020
CN	306015784 S	8/2020
JP	D1670107	10/2020

(30) **Foreign Application Priority Data**

\* cited by examiner

Oct. 14, 2020 (CN) ..... 202030611185.6

(51) **LOC (13) Cl.** ..... **06-01**

*Primary Examiner* — Abraham Bahta

(52) **U.S. Cl.**

(74) *Attorney, Agent, or Firm* — Winston Hsu

USPC ..... **D6/333**

(57) **CLAIM**

(58) **Field of Classification Search**

The ornamental design for a child safety seat, as shown and described.

USPC ..... D6/333-336, 339, 344, 702, 716,  
D6/716.1-716.7, 356; 297/183.1-183.4,  
297/184.13, 184.15, 184.17, 250.1, 255,  
297/256.1, 256.15, 219.12, 463.1;  
D12/129-130, 133; D21/412, 428, 419;  
280/30-31; 5/94, 98.1, 99.1, 101-102,  
5/105, 655, 93.1, 12.1; 24/200

**DESCRIPTION**

CPC ..... A47D 13/02; A47D 13/10; A47D 1/00;  
A47D 1/002; A47D 1/004; B60N 2/22;  
B60N 2/24; B60N 2/26; B60N 2/265;  
B60N 2/28; B60N 2/2821; B60N 2/42;  
B60N 2/45; B60N 2/51; B60N 2/63;  
A47C 7/021; A47C 7/022; A47C 7/002;  
A47C 7/18; A47C 7/24; A47C 3/00;  
A47C 3/02; A47C 3/025; A47C 3/20;

FIG. 1 is a top, front, right side perspective view of a child safety seat, showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a top, front, right side perspective view thereof, showing the child safety seat in an alternate configuration.

**1 Claim, 7 Drawing Sheets**





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7