



US00D963448S

(12) **United States Design Patent** (10) **Patent No.:** **US D963,448 S**  
**Higgins** (45) **Date of Patent:** **\*\* Sep. 13, 2022**

(54) **TENSION DEVICE**  
(71) Applicant: **Cinchy, Inc.**, Rockport, MA (US)  
(72) Inventor: **Timothy J. Higgins**, Rockport, MA (US)

11,046,234 B2 6/2021 Ziegler  
2009/0047091 A1\* 2/2009 Huck ..... B60P 7/083  
24/68 CD  
2010/0242233 A1\* 9/2010 Wolner ..... A62B 35/0031  
24/197  
2010/0275417 A1\* 11/2010 Yang ..... F16G 11/12  
24/115 L

(73) Assignee: **Cinchy, Inc.**, Rockport, MA (US)

(Continued)

(\*\*) Term: **15 Years**

**OTHER PUBLICATIONS**

(21) Appl. No.: **29/765,484**

International Search Report and Written Opinion dated Oct. 26, 2021 for Application No. PCT/US21/41782, 12 pages.

(22) Filed: **Jan. 8, 2021**

*Primary Examiner* — Philip S Hyder

(51) **LOC (13) Cl.** ..... **08-05**

(74) *Attorney, Agent, or Firm* — Frost Brown Todd LLC

(52) **U.S. Cl.**  
USPC ..... **D8/44**

(57) **CLAIM**

(58) **Field of Classification Search**  
USPC ..... D8/14, 44, 51  
CPC ..... B25B 25/00; B21F 9/00; B60P 7/0823;  
B60P 7/083; B60P 7/0846; Y10T 24/21;  
Y10T 24/2117

The ornamental design for a tension device, as shown and described.

See application file for complete search history.

**DESCRIPTION**

(56) **References Cited**


FIG. 1 is a front perspective view of a tension device, showing my new design;  
FIG. 2 is a rear perspective view of the tension device of FIG. 1;  
FIG. 3 is a front elevational view of the tension device of FIG. 1;  
FIG. 4 is a rear elevational view of the tension device of FIG. 1;  
FIG. 5 is a right elevational view of the tension device of FIG. 1;  
FIG. 6 is a left elevational view of the tension device of FIG. 1;  
FIG. 7 is a top plan view of the tension device of FIG. 1; and,  
FIG. 8 is a bottom plan view of the tension device of FIG. 1.

**U.S. PATENT DOCUMENTS**

3,377,044 A 4/1968 Jackson et al.  
D570,658 S \* 6/2008 Degen ..... D8/44  
D593,385 S \* 6/2009 Wang ..... D8/44  
7,832,710 B2 11/2010 Pelliccioni  
8,091,182 B2 1/2012 Hammerslag et al.  
8,141,212 B2 3/2012 Fontaine et al.  
8,651,509 B1 2/2014 Huang  
8,684,390 B1 4/2014 Barrette  
8,905,379 B2 12/2014 Huang  
9,862,300 B1 \* 1/2018 Anderson ..... B60P 7/0846  
D813,630 S \* 3/2018 Underwood ..... D8/44  
10,107,381 B2 10/2018 Niu  
D867,109 S 11/2019 Piskur et al.  
10,583,770 B2 3/2020 Tolly et al.  
10,710,840 B1 \* 7/2020 Williams ..... B65H 75/425  
10,723,255 B2 7/2020 Plahuta

The broken lines shown in the drawings represent features of the tension device that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2012/0233824 A1\* 9/2012 Breeden ..... B60P 7/0823  
24/68 CD  
2016/0250961 A1\* 9/2016 Tolly ..... B65D 90/0053  
410/100  
2018/0326892 A1\* 11/2018 Plahuta ..... B60P 7/0823  
2020/0231083 A1\* 7/2020 Shrewsbury ..... B65H 75/4492  
2020/0339029 A1\* 10/2020 Chen ..... B60P 7/083  
2021/0170937 A1\* 6/2021 Chen ..... B60P 7/0846

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3






FIG. 4



**FIG. 5**



**FIG. 6**




FIG. 7




FIG. 8