



US00D963476S

(12) **United States Design Patent**
Peng

(10) **Patent No.:** **US D963,476 S**

(45) **Date of Patent:** **** Sep. 13, 2022**

(54) **BOTTLE STOPPER**

(71) Applicant: **Shenzhen Hengya-Star Electronic Technology Co., LTD., Shenzhen (CN)**

(72) Inventor: **Yuping Peng, Shenzhen (CN)**

(**) Term: **15 Years**

(21) Appl. No.: **29/785,970**

(22) Filed: **May 28, 2021**

(51) **LOC (13) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D9/439**

(58) **Field of Classification Search**
USPC D9/434-436, 443, 445-447, 449, 450,
D9/455, 499, 501, 516, 517, 739,
D9/439-441, 544; D7/387, 391, 392,
D7/392.1, 396.2, 507, 601, 602, 619.1,
D7/620, 622; D3/202, 318

CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
5/46; B65D 41/00; B65D 41/26; B65D
41/38; B65D 41/56; B65D 41/62; B65D
43/00; B65D 47/00; B65D 47/04; B65D
47/06; B65D 47/061; B65D 47/065;
B65D 47/08; B65D 47/12; B65D 47/122;
B65D 47/40; B65D 2251/00; B65D
2543/00046; B65D 2543/00092; B65D
2543/00296; B65D 45/025; B65D 47/249
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 875,397 A * 12/1907 Willis B65D 39/12
215/359
- 2,315,538 A * 4/1943 Moeller B65D 39/12
138/89
- D157,368 S * 2/1950 Gould, Jr. D9/441
- 2,822,103 A * 2/1958 Moeller B65D 39/12
215/359
- D230,140 S * 1/1974 Schimke D9/443

4,305,515 A * 12/1981 Tontarelli B65D 45/025
215/244

D385,490 S * 10/1997 Sullivan D9/439
D404,305 S * 1/1999 De Baschmakoff D9/443

(Continued)

FOREIGN PATENT DOCUMENTS

CN	303736994	*	7/2016
CN	307166130	*	3/2022
HK	0412343	*	11/2004

OTHER PUBLICATIONS

New York Magazine's The Strategist "The Best Wine Stoppers, According to Sommeliers and Beverage Directors" (online) posted by Maxine Builder on Feb. 8, 2018. Retrieved from Internet on May 7, 2022, URL: <https://nymag.com/strategist/article/best-wine-stoppers-wine-savers-reviews-sommeliers.html> (6 pgs.) (Year: 2018).*

(Continued)

Primary Examiner — Wendy L Arminio


(57) **CLAIM**

The ornamental design for a bottle stopper, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle stopper showing my new design;
FIG. 2 is a top view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a back view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines shown in the drawings depict portions of the bottle stopper in which the design is embodied that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,419,104 B1 * 7/2002 Sarajian B05B 12/26
215/361
D493,367 S * 7/2004 Simons D9/439
D659,534 S * 5/2012 Taylor D9/443
D758,853 S 6/2016 Seeuwen et al.
D804,949 S * 12/2017 Godfroid D9/443
D820,084 S 6/2018 Schoen
D896,078 S 9/2020 Kerkvliet
D926,033 S * 7/2021 Sullivan D9/439
D932,894 S * 10/2021 Li D9/441
D938,822 S * 12/2021 Metaxatos D9/439
2008/0197104 A1 * 8/2008 Wang Wu B65D 39/12
215/355
2020/0207522 A1 * 7/2020 Sullivan B65D 51/245

OTHER PUBLICATIONS

Carrol Boyes "Bottle Stopper at Rest" (online) earliest customer review dated Feb. 21, 2020. Retrieved from Internet on May 7, 2022, URL: https://carrolboyes.com/USA/bottle-stopper-at-rest.html?__store=USA&__from_store=za (3 pgs.) (Year: 2020).*

* cited by examiner




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7