

US00D963560S

(12) **United States Design Patent** (10) **Patent No.:** **US D963,560 S**  
**Tatsuta et al.** (45) **Date of Patent:** **\*\* Sep. 13, 2022**

(54) **TIRE FOR AUTOMOBILE**

D569,337 S \* 5/2008 Iwabuchi ..... D12/605  
D584,682 S \* 1/2009 Tanaka ..... D12/605  
D649,111 S \* 11/2011 Tokizaki ..... D12/605

(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Hyogo (JP)

(Continued)

(72) Inventors: **Masahiro Tatsuta**, Kobe (JP); **Ryota Ikeda**, Kobe (JP); **Kohei Hayama**, Kobe (JP); **Yuta Sakakibara**, Kobe (JP); **Akiko Miura**, Kobe (JP)

*Primary Examiner* — Darlington Ly  
(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(73) Assignee: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe (JP)

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

(\*\*) Term: **15 Years**

**DESCRIPTION**

(21) Appl. No.: **35/511,849**

1. Tire for automobile  
1.1 is a front elevation view of a tire for automobile embodying my new design;  
1.2 is an enlarged and partial front elevation view thereof for area marked as A-B in 1.1;  
1.3 is an enlarged and partial front elevation view thereof for area marked as C-D in 1.1;  
1.4 is an enlarged and partial front elevation view thereof for area marked as E-F in 1.1;  
1.5 is an enlarged and partial front elevation view thereof for area marked as G-H in 1.1;  
1.6 is a rear elevation view thereof;  
1.7 is a top plan view thereof;  
1.8 is a bottom plan view thereof;  
1.9 is a right side elevation view thereof;  
1.10 is a left side elevation view thereof;  
1.11 is an enlarged and partial cross-section view thereof taken along line I-I in 1.2 and showing only the end face at the line I-I in 1.2;  
1.12 is an enlarged and partial cross-section view thereof taken along line J-J in 1.2 and showing only the end face at the line J-J in 1.2;  
1.13 is an enlarged view of the area marked as K-K in 1.11; and  
1.14 is an enlarged view of the area marked as L-L in 1.12.  
The broken lines in the drawings illustrate portions of the tire for automobile that form no part of the claimed design.

(22) Filed: **Nov. 9, 2020**

(80) **Hague Agreement Data**

Int. Filing Date: **Nov. 9, 2020**  
Int. Reg. No.: **DM/211263**  
Int. Reg. Date: **Nov. 9, 2020**  
Int. Reg. Pub. Date: **May 14, 2021**

(51) **LOC (13) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/605**


(58) **Field of Classification Search**  
USPC ..... D12/500-501, 506, 534-538, 569-573,  
D12/604-605, 900; D5/30; D7/396.4,  
D7/396.5  
CPC ..... B06C 1/00; B06C 13/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D87,418 S \* 7/1932 Smith ..... D12/535  
D87,419 S \* 7/1932 Smith ..... D12/535  
D380,713 S \* 7/1997 Attinello ..... D12/601  
D452,203 S \* 12/2001 Kajikawa ..... D12/605  
D517,003 S \* 3/2006 Shondel ..... D12/605

**1 Claim, 14 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS


D671,066 S	*	11/2012	Morito .....	D12/605
D683,695 S	*	6/2013	Takeshima .....	D12/605
D695,211 S	*	12/2013	Yasunaga .....	D12/605
D700,886 S	*	3/2014	Matsumoto .....	D12/605
D711,816 S	*	8/2014	Iwabuchi .....	D12/605
D739,344 S	*	9/2015	Kuwano .....	D12/605
D740,747 S	*	10/2015	Sato .....	D12/605
D773,987 S	*	12/2016	Ishikawa .....	D12/605
D777,656 S	*	1/2017	Maxwell .....	D12/605
D791,068 S	*	7/2017	Ishikawa .....	D12/605
D792,842 S	*	7/2017	Itoi .....	D12/605
D800,646 S	*	10/2017	Sato .....	D12/605
D802,526 S	*	11/2017	Ishikawa .....	D12/605
D830,960 S	*	10/2018	Sato .....	D12/605

\* cited by examiner


1.1




1.2




1.3




1.4



1.5



1.6






1.7




1.8




1.9




1.10




1.11



1.12



1.13



1.14

