

US00D963659S

(12) **United States Design Patent**
Hung

(10) **Patent No.:** **US D963,659 S**

(45) **Date of Patent:** **** Sep. 13, 2022**

(54) **COVER PLATE FOR A SUPPORT ARM**

A47B 88/044; A47B 2021/0335; H02G
3/126; F16B 47/00; F16B 47/006; A47G
1/17; A47K 2201/00

(71) Applicant: **MODERNSOLID INDUSTRIAL CO., LTD.**, Taichung (TW)

See application file for complete search history.

(72) Inventor: **Chin-Jui Hung**, Taichung (TW)

(56) **References Cited**

(73) Assignee: **MODERNSOLID INDUSTRIAL CO., LTD.**, Taichung (TW)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D290,500 S *	6/1987	Makas	D24/158
4,953,822 A *	9/1990	Sharber	F16M 11/24 248/281.11
5,443,444 A *	8/1995	Pruyssers	A61F 5/0123 602/5
5,494,245 A *	2/1996	Suzuki	B60R 16/0215 248/68.1
D483,652 S *	12/2003	Chen	D8/354
D495,240 S *	8/2004	Mnich	D8/355
D577,729 S *	9/2008	Derry	D14/452
D577,731 S *	9/2008	Altonji	D14/452

(21) Appl. No.: **29/766,232**

(22) Filed: **Jan. 14, 2021**

(30) **Foreign Application Priority Data**

Jul. 24, 2020 (TW) 109304148

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/452**

(58) **Field of Classification Search**
USPC D14/371-382, 125-129, 335-337,
D14/447-452, 492, 376-382, 239, 457,
D14/439-441, 432, 251-253; D8/349,
D8/354, 363, 373, 376, 380; 348/180,
348/184, 325, 739, 825; D12/407, 415;
D3/218; 341/12; D13/108, 155

CPC G06F 3/0412; G06F 3/016; G06F 3/0488;
G06F 3/011; G06F 3/038; G06F 3/03543;
G06F 3/0338; G06F 3/0202; G06F
3/0219; G06F 3/0213; G06F 1/1616;
G06F 3/023; G06F 3/04883; G02F
1/13338; G02F 1/1313; G02F 1/1333;
G02F 1/135; G02F 1/132; G02F
1/133308; G02F 1/134309; G02F
1/13718; G09G 3/3648; G06K 15/1252;
B41J 2/465; G03F 7/70291; G02B
27/0172; G02B 5/30; G02B 2027/0118;
G02B 27/0101; F16M 13/02; F16M
13/00; F16M 11/10; F16M 11/04; F16M
2200/08; F16M 11/2021; A47B 21/0314;

(Continued)

Primary Examiner — Katie Jane Stofko


(57) **CLAIM**

The ornamental design for a cover plate for a support arm, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a cover plate for a support arm showing my new design; FIG. 2 is a rear, bottom and right side view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; and, FIG. 9 is another front, top and right side perspective view thereof, shown in an environment of use. The dashed broken lines are for illustrating environment structure only and form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D656,932 S *	4/2012	Wikel	D12/415
D678,888 S *	3/2013	Hung	D14/452
D701,961 S *	4/2014	Charles	D24/158
D852,799 S *	7/2019	Fenton	D14/440
D941,300 S *	1/2022	Huang	D14/452

* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG. 7




FIG.8




FIG.9