



US00D963894S

(12) **United States Design Patent** (10) **Patent No.:** **US D963,894 S**  
**Nelson et al.** (45) **Date of Patent:** **\*\* Sep. 13, 2022**

(54) **MOUNTING BRACKET** 2,245,785 A \* 6/1941 Jentzer, Jr. .... E04F 13/0803  
52/506.08  
(71) Applicant: **Knight Wall Systems**, Deer Park, WA 2,832,102 A \* 4/1958 Amoruso ..... E04F 13/0803  
(US) 52/386  
(72) Inventors: **Brian Nelson**, Spokane, WA (US); 5,501,050 A 3/1996 Ruel  
**Shane Knott**, Clayton, NC (US) 5,675,955 A 10/1997 Champagne  
5,860,257 A 1/1999 Gerhafer et al.  
6,402,419 B1 6/2002 Watanabe  
8,429,866 B2 4/2013 Knight et al.  
(73) Assignee: **Knight Wall Systems**, Deer Park, WA 8,979,052 B2 3/2015 Uota et al.  
(US) (Continued)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/760,182**

(22) Filed: **Nov. 30, 2020**

(51) **LOC (13) Cl.** ..... **25-02**

(52) **U.S. Cl.**  
USPC ..... **D25/119**

(58) **Field of Classification Search**  
USPC ..... D8/349, 354; D25/48.7, 55, 56, 58-61,  
D25/119-132, 138, 139, 134, 164;  
D23/167, 267, 386; 52/58, 68, 96, 97,  
52/204.5, 204.53, 208, 209, 255, 254,  
52/287.1, 293.3, 302.6, 443, 444, 716.1,  
52/716.2, 716.6-716.8, 717.01, 717.03  
CPC ..... E04B 1/765; E04B 1/4178; E04B 1/7616;  
E04B 2/789; E04B 2/885; E04B 2/88;  
E04B 2/96; E04B 2/967; E04B 2/90;  
E04B 2001/405; E04F 13/0826; E04F  
13/0846; E04F 19/061; E04F 19/062;  
E04F 19/02; E04F 2013/065; E04F  
2013/066; E04C 3/09; E04C 2003/0473  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

777,334 A 12/1904 Dieterich  
1,624,121 A \* 4/1927 Thiem ..... E04F 13/06  
52/255  
1,893,720 A \* 1/1933 Vandervoort ..... A47B 21/04  
312/307

FOREIGN PATENT DOCUMENTS

DE 102011117699 A1 5/2013  
FR 2526837 A1 11/1983  
WO 2013097121 A1 7/2013

Primary Examiner — Mark A Goodwin

(74) Attorney, Agent, or Firm — Elevated IP, LLC


(57) **CLAIM**

The ornamental design for a mounting bracket, as shown and described.

**DESCRIPTION**

FIG. 1 is a top isometric view of an ornamental design for a mounting bracket;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a back elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom elevational view thereof; and,  
FIG. 8 is a bottom isometric view thereof.  
The design shown may be scaled larger or smaller, as indicated by the dashed break lines which form no part of the claimed design. The area in between the dashed break lines forms no part of the claimed design. The broken line showing on the surface portion of the mounting bracket forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

9,695,596	B2	7/2017	McIntosh et al.	
D800,921	S	10/2017	Apanovich et al.	
10,221,574	B2	3/2019	Krause	
RE47,495	E	7/2019	MacKenzie	
11,299,891	B1 *	4/2022	Nelson .....	E04B 1/765
2002/0050111	A1	5/2002	Hikai	
2005/0189723	A1	9/2005	Chassee	
2007/0151190	A1	7/2007	Huff et al.	
2013/0205696	A1	8/2013	Little et al.	
2017/0342723	A1	11/2017	Krause	
2018/0058063	A1	3/2018	Delfino	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8