



US00D964046S

(12) **United States Design Patent**
Bottlang

(10) **Patent No.:** **US D964,046 S**

(45) **Date of Patent:** **** Sep. 20, 2022**

(54) **ENERGY ABSORBING LINING MATERIAL**

D106,882 S * 11/1937 Fogarty D5/7
2,168,196 A * 8/1939 Faber E04C 3/09
D5/1

(71) Applicant: **Apex Biomedical Company, LLC**,
Clakamas, OR (US)

2,728,479 A 12/1955 Wheeler
D182,349 S * 3/1958 Alvord D5/1
D193,684 S * 9/1962 Reis D5/1

(72) Inventor: **Michael Bottlang**, Clakamas, OR (US)

(Continued)

(73) Assignee: **WAVECEL, LLC**, Wilsonville, OR
(US)

FOREIGN PATENT DOCUMENTS

(**) Term: **15 Years**

EP 1054183 A1 11/2000
EP 1958889 A2 8/2008

(21) Appl. No.: **29/723,243**

(Continued)

(22) Filed: **Feb. 5, 2020**

OTHER PUBLICATIONS

Related U.S. Application Data

Research Gate, Sep. 2018, found on May 21, 2022 at https://www.researchgate.net/figure/Fabrications-of-elastomer-lattices-A-Fabrication-process-of-an-elastomer-lattice-A_fig2_308668426 (Year: 2018).*

(63) Continuation of application No. 15/154,707, filed on
May 13, 2016, now Pat. No. 11,298,913.

(Continued)

(51) **LOC (13) Cl.** **05-06**

(52) **U.S. Cl.**

Primary Examiner — Karen S Acker

USPC **D5/56**; D5/99

(74) *Attorney, Agent, or Firm* — Schwabe, Williamson &
Wyatt, P.C.

(58) **Field of Classification Search**

USPC D5/1, 2, 3, 4, 7, 27, 43, 44, 45, 47, 51,
D5/53, 54, 55, 56, 57, 58, 59, 60, 61, 62,
D5/63, 65, 99; D6/592, 601, 602, 608,
D6/610, 613, 621, 622; D19/1, 5;
D20/25, 28, 31; D21/333; D25/138,
D25/149, 151; D32/40

(57) **CLAIM**

CPC B44F 3/00; B44F 7/00; D02G 3/22; D03D
3/00; D03D 9/00; D06N 7/00; D21H 5/02

I claim the ornamental design for an energy absorbing lining
material, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

D28,624 S * 5/1898 Smith B41F 11/02
256/45
D39,059 S * 2/1908 Landis D5/61
D61,046 S * 6/1922 Lown D25/48.8
D87,410 S * 7/1932 Riley D25/45

FIG. 1 is a perspective view of an energy absorbing lining
material, showing our new design; and,
FIG. 2 is a front view thereof.

The energy absorbing lining material is intended to be used
for helmets and other impact receiving articles. The dot-dot-
dash broken lines depict the boundaries of the claim and
form no part thereof. The evenly spaced broken lines depict
portions of the energy absorbing lining material that form no
part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,083,620 A * 4/1963 Lorig E04C 2/425
52/180
3,262,495 A * 7/1966 Baird F28D 1/0316
165/DIG. 447
3,298,512 A * 1/1967 Crane B65D 5/5083
D5/1
D215,582 S * 10/1969 Bogan, Jr. D25/44
3,687,223 A 8/1972 Streck
3,888,531 A 6/1975 Straza
3,995,901 A 12/1976 Filbert
D250,735 S * 1/1979 Jonnum E04C 3/09
D5/1
4,227,593 A 10/1980 Bricmont
4,492,291 A 1/1985 Chometon et al.
4,526,421 A 7/1985 Brennan
4,657,711 A * 4/1987 Wigley F28F 25/087
261/112.2
5,025,504 A 6/1991 Benston
D360,531 S * 7/1995 Griffith B32B 3/12
D5/1
5,561,866 A 10/1996 Ross
5,649,455 A 7/1997 Tsuchihashi
5,700,545 A 12/1997 Audi
6,065,158 A 5/2000 Rush, III
6,245,408 B1 6/2001 Bitzer
6,387,200 B1 5/2002 Ashmead
D622,421 S * 8/2010 Akkala D25/152
7,930,771 B2 4/2011 Depreitere
8,006,739 B2 * 8/2011 Costello E06B 9/52
256/33
D694,528 S * 12/2013 Clerici D5/59
9,586,747 B2 * 3/2017 Zhang B65D 81/3876
9,745,736 B2 * 8/2017 Wadley C23C 8/26
D851,413 S * 6/2019 Klobuchar D5/54
D878,770 S * 3/2020 Klobuchar D5/54
10,669,086 B2 * 6/2020 Goodrich D21H 5/24
10,717,583 B2 * 7/2020 Hoffman B65D 65/406
D896,404 S * 9/2020 Martin D25/138
11,047,304 B2 * 6/2021 Lin B22F 10/20
11,130,620 B1 * 9/2021 Hoffman B32B 29/02
2003/0228815 A1 * 12/2003 Bhatnagar D03D 15/41
442/212
2004/0117896 A1 6/2004 Madey
2004/0223876 A1 11/2004 Kirolos
2005/0158573 A1 * 7/2005 Elzey F03G 7/065
428/593
2006/0059605 A1 3/2006 Ferrara
2006/0075693 A1 4/2006 Tsunoda
2008/0155735 A1 7/2008 Ferrara
2010/0104819 A1 * 4/2010 Wadley B32B 5/024
442/181

2011/0027536 A1 * 2/2011 Malpass B32B 3/28
264/293
2011/0233016 A1 9/2011 Lim
2011/0283873 A1 * 11/2011 Wadley B32B 3/12
89/917
2013/0224428 A1 * 8/2013 Clerici B32B 5/022
156/308.2
2014/0008925 A1 1/2014 Impero
2014/0013492 A1 1/2014 Bottlang
2014/0045962 A1 2/2014 Schofalvi
2015/0047110 A1 2/2015 Chilson
2015/0059063 A1 3/2015 Ho
2016/0010247 A1 * 1/2016 De Backer D03D 11/02
442/205
2016/0067938 A1 * 3/2016 Goodrich B32B 3/12
493/361
2019/0249344 A1 * 8/2019 Lin D03D 13/00
2021/0260903 A1 * 8/2021 Tasch B41F 11/02

FOREIGN PATENT DOCUMENTS

GB 2323146 A 9/1998
JP 2015-045349 3/2015
WO 2001045526 A1 6/2001
WO 2007042930 A1 4/2007
WO 2011139224 A1 11/2011
WO 2011148146 A2 12/2011

OTHER PUBLICATIONS

Increased Competition from Metals, Nov. 19, 2015 found on May 21, 2022 at <https://www.compositesworld.com/articles/increased-competition-from-metals> (Year: 2015).
Which New Material Was Just Invented, Oct. 14, 2015 found on May 21, 2022 at <https://vpm.org/articles/4654/which-new-material-was-just-invented> (Year: 2015).
Grima, J.N.; "What Are Auxetic Materials?"; Mar. 2000; 1-page.
Sanami, Mohammad, et al.; "Auxetic Materials for Sports Applications"; The 2014 Conference of the International Sports Engineering Association; Procedia Engineering 72 (2014) 453-458; www.sciencedirect.com; 2014; 6-pages.
Wang, Zhengyue, et al.; "Auxetic Materials and Their Potential Applications in Textiles"; Textile Research Journal; Sage Publications; 2012; 12-pages.
Schaeffler, Daniel J.; "The Differences Between Stiffness and Strength in Metal"; The Fabricator; Dec. 1, 2015; 3-pages.
Bliven, Emily, et al.; "Evaluation of a Novel Bicycle Helmet Concept in Oblique Impact Testing"; Accident Analysis and Prevention 124 (2019) 58-65; www.elsevier.com; 2019; 8-pages.
Yang et al., "Energy Absorption of an Re-entrant Honeycombs with Negative Poisson's Ratio", Applied Mechanics and Materials vols. 148-149 (2012), pp. 992-995.

* cited by examiner




FIG. 1




FIG. 2